


# STUNNING **BEAUTY LIFETIME** DURABILITY

1.866.648.9336

www.simtekfence.com





## PATENTED CONSTRUCTION

SimTek Fence has reinvented fence manufacturing with its patented design of rotationally-molded fence allowing realistic granite-stone appearance, dramatic wood texture, and superior performance.

#### EXTREMELY DURABLE

SimTek Fence is made with a proprietary blend of virgin and recycled polyethylene plastic and reinforced with galvanized steel. Our fence will withstand significant impact or wind-load without compromising aesthetics.









RATING





IMPACT RESISTANT



**ECO-FRIENDLY** 

## MAINTENANCE-FREE


SimTek Fence will never need painting or staining and will not warp, fade or crack. SimTek withstands temperatures from -40° F to +140° F, and is resistant to any negative organic process.

### SOLID PRIVACY AND SECURITY

SimTek Fence provides exceptional privacy and security for your loved ones. So sit back, relax and enjoy the great outdoors.































# WE CREATE STRONG BARRIERS



# WE ENHANCE OUTDOOR SPACES

www.simtekfence.com









## **THE ASHLAND** COLLECTION FEATURES RICH COLORS AND DRAMATIC TEXTURE, WHICH GIVES OUR PANELS A REALISTIC WOOD APPEARANCE



Ashland panels are made from a proprietary blend of polyethylene and contain up to 25% recycled material. No trees are cut down for the purpose of manufacturing our fence.



Our panels contain UV-12 inhibitors for a lifetime of vibrant colors. Ashland polymers have been tested to withstand extreme weather conditions with little to no fading.



Ashland panels will never need painting or staining and will not warp, fade, or crack. SimTek withstands temperatures from -40° F to +140°F, and is resistant to any negative organic process.



Ashland panels have the same look on both sides, thus enhancing both you and your neighbor's outdoor living space.



Scan QR Code and watch our Ashland video

# STEEL REINFORCED GATES





# **EXTREMELY** DURABLE

- The internal frame of our gate is made of a 1.5" x 1.5" galvanized, 14 gauge, heavy-duty, steel frame. Each gate comes complete with two self-closing hinges, a latch, and a striker rod.
- Gates come in 3ft, 4ft, 5ft and 6ft widths and may be double hung for 7ft, 8ft, 9ft, 10ft, 11ft or 12ft openings.
- Hinges thread directly into the interior metal frame of the gate.
- Our spring loaded, self-closing hinges meet national pool codes.

For more information including installation instructions, please visit our website: www.simtekfence.com

# CONCRETE MOUNTING BRACKETS











A quality finished wall is the result of a quality installation.

Be certain that your retaining wall is at least 8" wide so the bolts can be anchored properly.

SimTek Fence can be installed on top of an eight inch minimum width, poured concrete wall or on a flat concrete surface. Our concrete mounting brackets are made with heavy steel plates and have vertical members. They attach to the concrete with wedge anchors and are bolted to the posts.

Mounting brackets are available for lines, ends, corners, and gate posts. Decorative skirts are used to cover the plates and anchor bolts for a finished look.



Scan QR Code and watch our how-to video



Line Shoe





Line Shoe Skirt





End Shoe





End Shoe Skin





Corner Sho











Corner Shoe Skir

Gate Shoe Skir

#### **PANELS & POSTS** SIZES

- Panels come in 3'H x 6'W, 6'H x 6'W, and 4'H x 8'W
- All panels contain high-grade galvanized steel in both top and bottom rails
- Panel heights cannot be modified; however, panels can be cut to any custom width
- Our panels have been engineered to allow stacking to create 8' and 12' high walls

4'H x 8'W

**ECOSTONE SIZES & HEIGHTS** 

- Posts come in 8.5' and 12' heights and have a five-inch outer diameter
- All posts contain full-length, internally molded, steel stiffeners for optimum strength
- Posts are made from 50% recycled polyethylene plastic
- For a 12' high fence, we supply metal I-beams with matching plastic post sleeves

## **COLOR OPTIONS**












#### Gold Cedar



high ŝ Two 6'H x 6'W stacked 6'H x 6'W Two 4'H x 8'W stacked NEED HELP?






LEARN MORE

high

4'H x 8'W

3' high

3'H x 6'W



Customer Toll Free 1.866.648.9336 Service Fax 1.801.655.5240 info@simtekfence.com ? www.simtekfence.com

liat

ñ

Three 4'H x 8'W stacked









Proud member since 2007

NOA Approval 12-125.02

For full warranty information, please visit our website

25

YEARS





U.S. Patents 7.478.797 / 7.635.114 Foreign Patents Pendings





Walnut Brown



# **GRANITE & WOOD GRAINS**

**Dark Brown Granite** 



**Desert Granite** 

**Red Cedar** 

Black Oak



**Beige Granite** 



**Black Granite** 



Nantucket Gray



Scan QR Code and request a free color sample



# STUNNING **BEAUTY LIFETIME** DURABILITY

**Corporate Headquarters** 

East Coast Distribution

SimTek Fence 1330 West 400 North Orem, UT 84057 Toll Free: 1.866.648.9336 Tel.: 1.801.655.5236 Fax: 1.801.655.5240 info@simtekfence.com www.simtekfence.com SimTek East 1 Adamson Street Easton, PA 18045 Toll Free 1.866.648.9336 Tel. 1.801.655.5236 Fax 1.801.655.5240 info@simtekfence.com www.simtekfence.com **Authorized Dealer**