Make a Smart Investment



Performance Features	Bufftech Vinyl
Lifetime limited warranty	~
Transferable warranty	~
5-year labor warranty	~
Dark color fade warranty	~
Made in the USA	~
Never needs painting or staining	V
Won't chip, peel, crack or splinter	~
Won't rot or support mold growth	~
Impervious to termites/wood-boring insects	V
Lead free	~
No harmful chemicals	~
High-quality raw materials	~
Concealed fasteners	~
Heavyweight pickets	~
Wide choice of colors	~
Woodgrain and stucco textures	~
Steel reinforced rails	~
Routed rails and posts	~
Class A rating for flame spread	~
Recycled Content	~
Self-extinguishing	~
Easy to assemble	~
Building code compliant	~
Meets ASTM standards	~
	-

Quality Assurance

Bufftech fence products undergo rigorous testing to ensure they are manufactured to the highest standards and will withstand the test of time.

Material • Dimensional checks • Wall thickness • Cap stock thickness • Color/gloss	Design Railing code appro • Kingston – CCRF • Oxford – CCRR-(• Panorama® – CCI
 Impact Flex Tensile strength Accelerated weathering 	Fence certification • Miami-Dade cour NOA#:12-1106.11 • Gates load tested

- Alling code approvals Kingston – CCRR-0211 Dxford – CCRR-0187 Panorama® – CCRR-0115 Ince certifications Miami-Dade county approved IOA#:12-1106.11 (expires 3-13-2018) Bates load tested for 300lbs
- ASTM E 90 Sound Transmission Loss Test

ASTME 90 Sound Transmission Loss Test
 STC 21 (applies to Chesterfield and Galveston)

Building Responsibly with Bufftech

CertainTeed is actively pursuing strategies to reduce our environmental impact, while increasing the sustainability of our operations and products. By carefully examining all environmental impacts throughout each phase of a product's life cycle—from raw materials and manufacturing, to transportation and use, to disposal and/or recycling—we gain a complete, accurate view of our product's true sustainability.

CertainTeed conducted a Life Cycle Assessment (LCA) that was submitted to the National Institute of Standards and Technology (NIST) and was published in the building product LCA database, BEES (Building for Environmental and Economic



National Institute of Standards and Technology U.S. Department of Commerce

Sustainability). The findings from this Life Cycle Assessment provide a new, if not surprising, vantage point from which to make more credible and confident decisions on environmentally sound vinyl fence options.

All Bufftech® products are GreenCircle Certified®, a third-party auditing process designed to assure builders, regulators and homeowners that Bufftech fence complies with our environmental and sustainability claims, including the recycled content of our product.



Professional: facebook.com/CertainTeedFreedomofChoice Consumer: facebook.com/CertainTeedLivingSpaces



CertainTeed Corporation

20 Moores Road Malvern, PA 19355 www.certainteed.com

ASK ABOUT OUR OTHER CERTAINTEED $^{\rm o}$ PRODUCTS AND SYSTEMS:

ROOFING • SIDING • TRIM • DECKING • RAILING • FENCE GYPSUM • CEILINGS • INSULATION Professional: 800-233-8990 Consumer: 800-782-8777

© 01/17 CertainTeed Corporation, Printed in USA Code No. 40-40-70610

Bufffech Vinyl Fence Products









Shown here: Chesterfield CertaGrain Texture and 4-Rail Post & Rail CertaGrain Texture in Sierra Blend

On Cover: Breezewood Select Cedar Texture in Brazilian Blend

						Winity Was - Save		ALL AND
Page 4.	6.	8.	12.	14.	16.	18.	20.	22.
The	Privacy	Privacy	Privacy	Privacy	Privacy	Semi-Private	Contemporary	Classic
Bufftech Advantage The Leader in Aesthetics,	Galveston CertaGrain® & Smooth	Chesterfield CertaGrain®	Chesterfield CertaStucco™	Chesterfield Smooth	New Lexington	Breezewood Imperial Columbia Millbrook	Baron Princeton Countess Monarch Victorian	Manchester Canterbury
Color & Performance								

CertainTeed **Bufftech® Vinyl Fence Products**

From backyard privacy to sophisticated styling, Bufftech® vinyl fence redefines Exterior Living Spaces[®] with long-lasting beauty and performance. With the industry's widest range of styles, colors and textures, Bufftech makes it easy to find the perfect fence for your home.

Because a lot of life happens beyond your four walls.

24. Traditional

Danbury Rothbury Cape Cod Yorkshire





26. Post & Rail

4-Rail 3-Rail 2-Rail Crossbuck



28. Gates

30. Accessories

31. Arbors 32. Specifications

The Bufftech® Advantage

Long-lasting beauty, superior performance and the best protection you can get that's the Bufftech Advantage.

The difference starts with details.

Precision Routing Assures a clean, realistic look without visible glue or screws.

Heavyweight Pickets Provide impact resistance and reduces movement.

Internal Reinforcement Limits sagging and maintains a strong and sturdy performance.

Shown here: Chesterfield CertaGrain Texture in contrasting colors: Brazilian Blend posts and rails with Frontier Blend pickets

Color & Texture

CertainTeed sets the standard for the latest innovations in sophisticated styling. From our proprietary texturing process to our unique shades and stain blends, CertainTeed is the undisputed leader in color and texture. Whether you want the look and feel of natural wood or an easy-to-maintain, economical alternative to stucco walls, Bufftech has a vinyl fence to complement any setting. Plus, Bufftech is virtually maintenance-free, and never needs staining or painting. For complete style and color specifications, see page 32.



Smooth

White Smooth

Almond Smooth

Grey Smooth

Natural Clay

Colors throughout this brochure are simulated Consult product samples before making final selection

CertaStucco™

Performance

Bufftech's premium features, including high-quality raw materials, reinforced rails, heavyweight pickets, routed rails and fence posts, and concealed fasteners, ensure it will outlast and outperform other vinyl fences.

Backed by CertainTeed's exclusive WindZone[™] performance, Bufftech fence is engineered for use in

high wind and hurricane conditions, as approved by Miami-Dade County NOA #12-1106.11*. Recognized as the most stringent standards in the country, Miami-Dade test protocols include dynamic wind load testing up to 115 mph.

The Bufftech line also meets requirements of the ASTM and includes styles that comply with local codes for swimming pool applications. Check with your local building code official as local codes may vary.

*Miami-Dade County-approved NOA #12-1106.11, for exceptional performance in high wind conditions. To comply with WindZone Performance. additional items are needed for installation. Please reference our product catalog. Expires 3/13/2018.



Look for these icons throughout the brochure on products that meet special performance requirements.

Select Cedar





Peace of Mind

CertainTeed stands behind the Bufftech line with an exceptional lifetime limited transferable warranty. SureStart[™] protection, an exclusive CertainTeed benefit, covers warranted repair and replacement costs--including labor, for five years after installation.

CertainTeed also guarantees the performance of Bufftech's darker colors and stain blends with our proprietary ColorLast® fade protection, a state-of-the-art acrylic formulation that provides superior protection from the harsh rays of the sun.



CertainTeed is actively pursuing strategies to reduce our environmental impact. while increasing the sustainability of our operations and products. (see back cover for complete third-party testing information).



A company you can trust.

For more than 100 years, homeowners and building professionals alike have relied on CertainTeed as a trusted source of innovative, high-quality building products. Bufftech® continues this long-standing tradition with its superior vinyl fencing line, proudly made in the U.S.A.



CertaGrain[®]

ed Blend edar	White CertaGrain	Almond CertaGrain	Natural Clay CertaGrain	Weathered Blend CertaGrain
	Timber Blend CertaGrain	Canyon Blend CertaGrain	Frontier Blend CertaGrain	Arbor Blend CertaGrain
	Arctic Blend CertaGrain	Brazilian Blend CertaGrain	Sierra Blend CertaGrain	Honey Blend CertaGrain 5

Privacy The perfect choice for complete privacy

Bufftech fence offers a realistic woodgrain texture and rich, authentic shades that replicate the look of natural wood without the maintenance.

Galveston CertaGrain[®] Texture

Available in 7' and 8' heights, Galveston — our tallest privacy fence offers the ultimate in complete privacy and is suitable for commercial applications. CertaG fence ir

> All 3 Steel Reinforce Rails

rctic Bl

Heights: 7' & 8' Picket Style: 7/8" x 7" Tongue & Groove





Galveston Smooth Finish

Heights: 7' & 8' Picket Style: 7/8" x 7" Tongue & Groove





Galveston

Smooth Finish with Lattice & Galveston with Victorian (not shown)

Heights: 6' 8" plus 1' 4" Accent Picket Style: 7/8" x 7" Tongue & Groove



Galveston CertaGrain Texture in Sierra Blend



Distinctive Deco Rail Design available with smooth fence styles.

Privacy

The beauty of wood with the benefits of vinyl

Chesterfield CertaGrain[®] Texture

Steel Reinforced Bottom Rail

PERFECTOR PERFECTOR

PRODUCTION OF THE PRODUCTION O

Bufftech's authentic woodgrain texture and "multi-chromatic" color blends recreate the natural beauty of stained wood in an easy-to-maintain vinyl design. Top rails in ColorLast[®] colors feature reinforcement for added strength and durability.

Heights: 4', 5' & 6' Picket Style: 7/8" x 7" Tongue & Groove

Almond

Canyon Blend

White

Timber Blend

Arctio

Natura Clay

Frontier Blend Blend





Chesterfield CertaGrain[®] Texture Decorative Accents and Styles

Customers look to CertainTeed for the latest innovations in style and performance. We're bringing you privacy with a different view. Introducing Chesterfield's expanded selection of CertaGrain[®] Texture Decorative Accents and Styles.



Add a unique, decorative style in one of four rich blend colors with Chesterfield Concave and Convex to make your fence stand out among the rest.

with Concave

Heights: 6' Picket Style: 7/8" x 7" Tongue & Groove





with Convex

Heights: 6' and 6-1/2' Picket Style: 7/8" x 7" Tongue & Groove











10

Transition from low to high fence sections. These specially designed fence sections provide an aesthetically appealing way to unify your fence installation.

with S Curve

Heights: Transitions from 6' to 4' Picket Style: 7/8" x 7" Tongue & Groove



with Swoop

Heights: Transitions from 6' to 4' Picket Style: 7/8" x 7" Tongue & Groove



For homeowners who like their privacy with a touch of style, the Chesterfield with Victorian Accent or with Lattice Accent offers two great choices.

with Victorian Accent

Heights: 4' 8" plus 1' 4" Accent Picket Style: 7/8" x 7" Tongue & Groove





with Lattice Accent

The 3-dimensional, molded, solid-color lattice features a subtle texture that complements the finish on the overall fence.



Heights: 4' 8" plus 1' 4" Accent Picket Style: 7/8" x 7" Tongue & Groove



Privacy

Traditional stucco styling in an economical easy-care design

Chesterfield CertaStucco[™] Texture

CertaStucco Texture in Mission Ivory

Bufftech's innovative alternative to traditional stucco walls, CertaStucco won't crumble, peel, chip or crack due to settlement, or stain like traditional stucco. It eliminates the time-consuming, costly task of digging a foundation and finishing the wall.

Heights: 4', 5' & 6' Picket Style: 7/8" x 7" Tongue & Groove

Almond

Mission Ivory

Chesterfield CertaStucco Texture in Mission Ivory



2



Ideal for transitioning from low to high fence.

Heights: Transitions from 6' to 4' Available Colors: White & Almond Picket Style: 7/8" x 7" Tongue & Groove



Ideal for transitioning from low to high fence. Heights: Transitions from 6' to 4'

Available Colors: White & Almond Picket Style: 7/8" x 7" Tongue & Groove

White Almond



with Lattice Accent

8" plus 1' 4" Accent lus 1' 4" Accent yle: 7/8" x 7" Picket 3 Tongue & Groove

White

Almond

with Victorian Accent

Heights: 4' 8" plus 1' 4" Accent Picket Style: 7/8" x 7" Tongue & Groove and 7/8" x 1-1/2"



Almond

with Huntington Accent

Heights: 4' 8" plus 1' 4" Accent Picket Style: 7/8" x 7" Tongue & Groove and 1-1/2" Square

White

Almond

with Westminster Accent

Heights: 4' 8" plus 1' 4" Accent Picket Style: 7/8" x 7" Tongue


White

 \bigcirc

PrivacySmart choiceSome the valueNew Lexington

New Lexington offers dependable performance at an economical price, with features you'd expect to find on higherend fence products. New Lexington includes Bufftech's signature "v" groove picket and Classic Curve deco rail design.

Heights: 4', 5' & 6' Picket Style: 5/8" x 11-3/8" Tongue & Groove





with Swoop

Ideal for transitioning from low to high fence.

Heights: Transitions from 6' to 4' Picket Style: 5/8" x 11-3/8" Tongue & Groove



with S Curve

Distinctive

Deco Rail

Design

Ideal for transitioning from low to high fence.

Heights: Transitions from 6' to 4' Picket Style: 5/8" x 11-3/8" Tongue & Groove



Steel Beinforced Brail

with Lattice Accent

Heights: 4' 11" plus 1' 1" Accent Picket Style: 5/8" x 11-3/8" Tongue & Groove





Heights: 4' 11" plus 1' 1" Accent Picket Style: 5/8" x 11-3/8" Tongue & Groove

New Lexington in White

White

Almond

Semi-Private

Steel Reinforced Bottom Rail

New

A versatile option that complements any setting

Breezewood Select Cedar Texture

Thru-picket "good neighbor", modern design is equally attractive on both sides. Top rails in ColorLast[®] colors feature reinforcement for added strength and durability.

> Vatura Clay

Heights: 4', 5' & 6' Picket Style: 7/8" x 3" Picket Spacing: 21/32"

White

Arctic

The second

-

Imperial Select Cedar Texture

(9)

Heights: 4', 5' & 6' (5' & 6' include midrail) Picket Style: 7/8" x 3" Picket Spacing: 7/16"

18

_	
White	A

latural Weathere



Arbor Blend Arctic Blend



Imperial Smooth Finish

Heights: 3', 4', 5' & 6' (5' & 6' include midrail) Picket Style: 7/8" x 3" Picket Spacing: 7/16"

White Almond



Columbia with Lattice

Heights: 5' & 6' (Lattice 6' only) Picket Style: 7/8" x 6" Ribbed Picket Spacing: 4-9/16"

White



Columbia without Lattice



Bottom Rail

Millbrook

Heights: 5' & 6' Picket Style: 7/8" x 6" Ribbed Picket Spacing: 13/16"

White

Almond

Contemporary

Easy care with modern-day flair

Baron Select Cedar Texture

Thru-picket "good neighbor" design is equally attractive on both sides. Top rails in ColorLast[®] colors feature reinforcement for added strength and durability.

Heights: 4', 5' & 6' (5' & 6' include midrail) Picket Style: 7/8" x 3" Picket Spacing: 2-15/16"

Almond

Frontier Blend

White

Timber Blend

Natural Clay

Arbor Blend

Blend

Arctic Blend

Baron Select Cedar Texture with Midrail

Baron Select Cedar Textu in Brazilian Blend



< Baron with Midrail



< Princeton with Midrail







< Victorian with Midrail

Baron Smooth Finish

Heights: 3', 4', 5' & 6' (5' & 6' include midrail) Picket Style: 7/8" x 3" Picket Spacing: 2-15/16"



Princeton

Heights: 3', 4', 5' & 6' (5' & 6' include midrail) Picket Style: 7/8" x 1-1/2" Picket Spacing: 1-3/4"



Almond

Countess

Heights: 3', 4', 5' & 6' (5' & 6' include midrail) Picket Style: 7/8" x 1-1/2", 7/8" x 3" Picket Spacing: 2-5/16"





Monarch

Heights: 3', 4', 5' & 6' (5' & 6' include midrail) Picket Style: 7/8" x 1-1/2", 7/8" x 3" Picket Spacing: 3"



Almond



Victorian

Heights: 3', 4', 5' & 6' (5' & 6' include midrail) Picket Style: 7/8" x 1-1/2" Picket Spacing: 3-5/8"

Classic Sophisticated s

Sophisticated styling in an elegant design

Manchester

Thru-picket "good neighbor" design is equally attractive on both sides. Thru-picket styles are 8' wide.

Heights: 3', 4' Picket Style: 1-1/2" Square Picket Spacing: 1-9/16"



Almond

Classic Impressions[™] Posts for Manchester

Heights: 3' & 4' posts available (available specifically to complement <u>Mancheste</u>r fence for flat and concave styles)







Manchester Concave

Heights: 3', 4' Picket Style: 1-1/2" Square Picket Spacing: 1-9/16"

White Almond

Canterbury

Heights: 3' & 4' Picket Style: 1-1/2" Square Picket Spacing: 1-9/16"

White

Manchester in White with Classic Impressions Recessed Posts

III

Reinforceo Bottom Rail

Canterbury with Swoop

Heights: 3' & 4' Picket Style: 1-1/2" Square Picket Spacing: 1-9/16"

White

Traditional

1

0111

A timeless look that's always in style

Danbury Select Cedar Texture Straight/Concave

Thru-picket "good neighbor" design is equally attractive on both sides. Thru-picket styles are 8' wide.

Heights: 4' Picket Style: 3" Pointed Picket Picket Spacing: 2-15/16"

White Almond Natural Weathered Clay Weathered Blend Arbor Blend Blend



Danbury Smooth Finish Straight

Thru-picket "good neighbor" design

Heights: 4' Picket Style: 3" Pointed Picket Picket Spacing: 2-15/16"





Danbury Concave

Thru-picket

1

Steel teinforced Bottom Rail

> Heights: 4' Picket Style: 3" Dog Ear Picket Picket Spacing: 2-15/16"

"good neighbor" design

White Almond

Rothbury

Concave



Rothbury Straight

U

Cape Cod

Concave

Cape Cod Straight

шинин

1111

Heights: 3', 4' & 5' Picket Style: 3" Pointed Picket Picket Spacing: 2-7/16"

White

Danbury Select Cedar Texture in Sierra Blend shown with Chesterfield CertaGrain Texture in Sierra Blend



Yorkshire Straight

11111

Heights: 3' & 4' Picket Style: 3" Dog Ear Picket Picket Spacing: 2-7/16"

ITTTTTTTTTTT

White

Yorkshire Concave

Post & Rail

A winning combination of beauty, durability and versatility

Safe for Horses

Bufftech's post & rail fence provides a safe, reliable enclosure for horses and other livestock. Available with CertaGrain Texture, our post & rail fence offers the authentic look of painted wood fence with the durability, low maintenance and proven performance of Bufftech's premium vinyl design.


4-Rail **CertaGrain Texture**

Rail Size (White): 1-1/2" x 5-1/2" Ribbed Rail Size (Blend Colors*): 2" x 6" Ribbed



4-Rail Smooth Finish

Rail Size: 1-1/2" x 5-1/2" Ribbed, 2" x 6" Ribbed



3-Rail CertaGrain Texture

Rail Size (White): 1-1/2" x 5-1/2" Ribbed Rail Size (Blend Colors*): 2" x 6" Ribbed







3-Rail

Smooth Finish Rail Size: 1-1/2" x 5-1/2" Ribbed, 2" x 6" Ribbed

> White Almond

2-Rail **CertaGrain Texture**

Rail Size (White): 1-1/2" x 5-1/2" Ribbed Rail Size (Blend Colors*): 2" x 6" Ribbed



2-Rail Smooth Finish

Rail Size: 1-1/2" x 5-1/2" Ribbed

White

4-Rail CertaGrain Texture in Sierra Blend

Crossbuck

Rail Size: 1-1/2" x 5-1/2" Ribbed

White

2-Rail and Crossbuck styles are recommended for decorative purposes only.

*CertaGrain Post & Rail Fence in Blend Colors is installed on 6' post centers. Consult our product installation instructions at www.certainteed.com for full details.





	Pre-Assembled Gate Widths	Unassembled Gate Kit Maximum Width	Extension Kit Required**
Galveston	50-1/2"	50-1/2"	No
Chesterfield	36-1/2" 50-1/2" 64-3/4"	70"	Yes
Chesterfield Concave Accent	50-1/2"	na	na
Chesterfield Convex Accent	50-1/2"	na	na
New Lexington	42-1/2" 50-1/2" 65-1/4"	72"	Yes
Breezewood	50"	60"	Yes
Imperial	50"	72"	Yes
Columbia*	50"	50"	No
Millbrook	50"	60"	Yes
Baron	50"	72"	Yes
Princeton	50"	72"	Yes
Countess	50"	72"	Yes
Monarch	50"	72"	Yes
Victorian	50"	72"	Yes
Manchester	50"	50"	No
Manchester Concave	na	50"	No
Canterbury	50"	50"	No
Danbury	50"	50"	No
Cape Cod	50"	60"	Yes
Rothbury	50"	50"	No
Yorkshire	50"	60"	Yes
2-Rail*	na	72"	na
3-Rail*	na	96"	na
4-Rail*	na	96"	na
Crossbuck*	na	96"	na

* All Gates are rackable, except Columbia, Post & Rail (2-Rail, 3-Rail and 4-Rail smooth finish), and Crossbuck styles.

** For unassembled gate kits over 50" wide to achieve maximum width



Strike and Latch

Hinge

LokkLatch® Key-Lockable Gate Latch, GateHandle™, MagnaLatch® Magnetic Safety Gate Latch, LokkLatch Magnetic* and TruClose® Self-Closing Gate Hinges are registered trademarks of D&D Technologies.







MagnaLatch® Magnetic Safety Gate Latch

GateHandle™

TruClose® Adjustable Self-Closing Gate Hinges

Accessories

Distinctive details for the perfect finishing touch

PVC Post Caps

Bufftech's standard PVC post caps come in a variety of styles.



Aluminum Post Cap Covers



The aluminum post cap cover with a textured decorative finish can be combined with our New England cap and coordinating gate hardware.**

マミリノ

말놀랐군?

DIST.

D. MAR As Some

D.G.M. Anno 11

6 AN DOWN

Offered in 4" x 4" and 5" x 5" sizes.

**Decorative cap and New England cap sold separately.

Decorative Post Caps

Bufftech's decorative post caps feature a metallic and powder coat finish.




Antique Brown Antique Copper Antique Gray Antique Gold Patina


Solar Post Caps & Lighting

Eco-friendly LED lights provide the ultimate in solar-powered accent lighting. Batteries included.

Solar Post Caps







*Fits both 4" x 4" and 5" x 5" post sizes. Adapter included.

Solar Wedge Lights



30





Vineyard Pergola

Outside Dimensions: 93"h x 89"w x 54"d Inside Dimensions: 84"h x 48"w x 54"d

Vinyl Arbors

Classic beauty with low-maintenance durability

Outside Dimensions: 91"h x 72"w x 31"d Inside Dimensions: 78-1/2"h x 58"w x 31"d

Aristocrat II

White



Beaumont

Outside Dimensions: 96"h x 57"w x 32"d Inside Dimensions: 90"h x 49"w x 32"d

White

																					۱		
pecificati	ons	& C	Colo	r Avail	ability					0	p		ral Clay	sion lvory	hered Blend	iber Blend	nyon Blend	ier Blend	r Blend	c Blend	azilian Blend	ırra Blend	
	Height	Racking	Post Size	Section Width	Picket Size	Picket Spacing		Metal Rail Reinforcement	Rails	White	Almond	Grey	Natur	Missi	Weat	Timb	Cany	Front	Arboi	Arctic	Brazi	Sierra	
Galveston Smooth	7', 8'	5° *	5" x 5"	96"	7/8" x 7" Tongue & Groove	N/A		Top, Middle, Bottom	2" x 6" Deco x 95" (Top/Bottom) 2" x 6" x 95" (Midrail)	•	•												$\left[\right]$
Galveston CertaGrain	7', 8'	5° *	5" x 5"	96"	7/8" x 7" Tongue & Groove	N/A		Top, Middle, Bottom	2" x 6" Channeled x 95" (Top/Bottom) 2" x 6" x 95" (Midrail)				•		•			•	•	•	•	•	
Chesterfield Smooth	4', 5', 6'	10° *	5" x 5"	96"	7/8" x 7" Tongue & Groove	N/A	<u>ک</u> ک	Bottom**	2" x 6" Deco x 95"	•	•	*	•										
Chesterfield CertaGrain	4', 5', 6'	' 10° *	5" x 5"	96"	7/8" x 7" Tongue & Groove	N/A	<i>S</i>	Bottom**	2" x 6" Channeled x 95"	•	•		•		•	•	•	•	•	•	•	•	
Chesterfield CertaStucco	o 4', 5', 6'	10° *	5" x 5"	96"	7/8" x 7" Tongue & Groove	N/A	<u>ک</u> کې	Bottom	2" x 6" Channeled x 95"		200 . 1910 -			•									
New Lexington	4', 5', 6'	7° *	5" x 5"	96"	5/8" x 11-3/8" Tongue & Groove	N/A		Bottom	1-1/2" x 5-1/2" Deco x 95"	•	•												
Breezewood Select Ceda	ar 4', 5', 6'	Stepping Recommended	5" x 5"	96"	7/8" x 3"	21/32"		Bottom**	2" x 6" x 95"	•	•		•		•					•	•	•	A
Imperial Smooth	3', 4' 5', 6'	10° 5°	4" x 4" 5" x 5"	96"	7/8" x 3"	7/16"	<u></u>	Bottom**	1-3/4" x 3-1/2" x 95-1/2"	•	•		•										ſ
Imperial Select Cedar	4' 5', 6'	10° 5°	4" x 4" 5" x 5"	96"	7/8" x 3"	7/16"	<u></u>	Bottom**	1-3/4" x 3-1/2" x 95-1/2"	•	•		•		•	•		•	•	•	•	•	A
Columbia	5', 6'	5°	5" x 5"	96"	7/8" x 6" Ribbed	4-9/16"	Ś	Bottom (Aluminum)	3-1/2" x 3-1/2" x 94"	•													
Millbrook	5', 6'	5°	5" x 5"	96"	7/8" x 6" Ribbed	13/16"		Bottom	2" x 6" x 94-1/2" (Top/Bottom) 1-3/4" x 3-1/2" x 94-1/2" (Midrail)	•	•												
Baron Smooth	3', 4' 5', 6'	10° 5°	4" x 4" 5" x 5"	96"	7/8" x 3"	2-15/16"	Ø	Bottom**	1-3/4" x 3-1/2" x 95-1/2"	•	•		•										
Baron Select Cedar	4' 5', 6'	10° 5°	4" x 4" 5" x 5"	96"	7/8" x 3"	2-15/16"	Ø	Bottom**	1-3/4" x 3-1/2" x 95-1/2"	•	•		•		•	•		•	•	•	•	•	
Princeton	3', 4' 5', 6'	10° 5°	4" x 4" 5" x 5"	96"	7/8" x 1-1/2"	1-3/4"	Ø	Bottom	1-3/4" x 3-1/2" x 95-1/2"	•	•												
Countess	3', 4' 5', 6'	10° 5°	4" x 4" 5" x 5"	96"	7/8" x 1-1/2" 7/8" x 3"	2-5/16"	Ø	Bottom	1-3/4" x 3-1/2" x 95-1/2"	•	•												
Monarch	3', 4' 5', 6'	10° 5°	4" x 4" 5" x 5"	96"	7/8" x 1-1/2" 7/8" x 3"	3"	Ø	Bottom	1-3/4" x 3-1/2" x 95-1/2"	•	•												
Victorian	3', 4' 5', 6'	10° 5°	4" x 4" 5" x 5"	96"	7/8" x 1-1/2"	3-5/8"		Bottom	1-3/4" x 3-1/2" x 95-1/2"	•	•												
Manchester	3', 4'	5°	5" x 5"	96"	1-1/2" x 1-1/2"	1-9/16"		Bottom	2" x 6" x 94-1/2" (Bottom) 2" x 3-1/2" x 95" (Top)	•	•												
Canterbury	3', 4'	5°	5" x 5"	96"	1-1/2" x 1-1/2"	1-9/16"		Bottom	2" x 6" x 94-1/2" (Bottom) 2" x 3-1/2" x 95" (Mid/Top)	•													
Danbury Smooth	4'	5°	4" x 4"	96"	7/8" x 3"	2-15/16"		Bottom	1-3/4" x 3-1/2" x 95-1/2"	•	•		•										
Danbury Select Cedar	4'	5°	4" x 4"	96"	7/8" x 3"	2-15/16"		Bottom	1-3/4" x 3-1/2" x 95-1/2"	•	•		•		•				•	•		•	
Rothbury	4'	5°	4" x 4"	96"	7/8" x 3"	2-15/16"		Bottom	1-3/4" x 3-1/2" x 95-1/2"	•	•												
Cape Cod	3', 4' 5'	15° 15°	4" x 4" 5" x 5"	- 72"	7/8" x 3"	2-7/16"		None	1-3/4" x 3-1/2" x 71-1/2"	•													
Yorkshire	3', 4'	15°	4" x 4"	72"	7/8" x 3"	2-7/16"		None	1-3/4" x 3-1/2" x 71-1/2"	•													
Post & Rail Smooth	3', 4', 5'	5°	5" x 5"	96"	N/A	N/A		None	1-1/2" x 5-1/2" Ribbed or 2" x 6" Ribbed	•	•												
Post & Rail CertaGrain	3', 4', 5'	5°	5" x 5"	96" White 72" Blend Colors	N/A	N/A		None	1-1/2" x 5-1/2" Ribbed (white) or 2" x 6" Ribbed (blend colors)	•					•					•	•	•	
Crossbuck	4'	5°	5" x 5"	96"	N/A	N/A		None	1-1/2" x 5-1/2" Ribbed	•													