



The Bufftech Advantage

The Leader in Aesthetics, Color & Performance...... 4


PrivacyBrookline C

Privacy

Chesterfield
CertaStucco™......14
Chesterfield Smooth.....16
New Lexington......18

Semi-Private

| Breezewood | 20 |
|------------|----|
| Imperial | 20 |
| Columbia | 21 |
| Millbrook | 21 |



| Contemporary | |
|--------------|----|
| Baron | 22 |
| Princeton | 23 |
| Countess | 23 |
| Monarch | 23 |
| Victorian | 23 |

| Manchester | 2 |
|-------------|---|
| Canterbury | 2 |
| | |
| Traditional | |
| Danbury | 2 |
| Rothbury | 2 |

| Post & Hall | |
|-------------|---|
| 4-Rail 2 | 8 |
| 3-Rail 2 | 8 |
| 2-Rail2 | 9 |
| Crossbuck2 | 9 |

| Gates | 30 |
|----------------|----|
| Accessories | 32 |
| Arbors | 33 |
| Specifications | 34 |

The **Bufftech®** Advantage

Long-lasting beauty, superior performance and the best protection you can get that's the Bufftech Advantage.

The difference starts with details.

Precision Routing

Assures a clean, realistic look without visible glue or screws.

Heavyweight Pickets

Provide impact resistance and reduces movement.

Internal Reinforcement

Limits sagging and maintains a strong and sturdy performance.

Shown here: Chesterfield CertaGrain Texture in contrasting colors: Brazilian Blend posts and rails with Frontier Blend pickets

CertaStucco™

Smooth

Color & Texture

CertainTeed sets the standard for the latest innovations in sophisticated styling. From our proprietary texturing process to our unique shades and stain blends, CertainTeed is the undisputed leader in color and texture. Whether you want the look and feel of natural wood or an easy-to-maintain, economical alternative to stucco walls, Bufftech has a vinyl fence to complement any setting. Plus, Bufftech is virtually maintenance-free, and never needs staining or painting. For complete style and color specifications, see page 34.

Mission Ivory CertaStucco

Almond CertaStucco

Colors throughout this brochure are simulated. Consult product samples before making final selection. White Smooth

> Almond Smooth

Grey Smooth

Natural Clay Smooth

Performance

Bufftech's premium features, including high-quality raw materials, reinforced rails, heavyweight pickets, routed rails and fence posts, and concealed fasteners, ensure it will outlast and outperform other vinyl fences.

Backed by CertainTeed's exclusive

WindZone™ performance, Bufftech
fence is engineered for use in
high wind and hurricane conditions, as approved
by Miami-Dade County NOA #12-1106.11*.
Recognized as the most stringent standards in
the country, Miami-Dade test protocols include
dynamic wind load testing up to 115 mph.

The Bufftech line also meets requirements of the ASTM and includes styles that comply with local codes for **swimming pool** applications.

Check with your local building code official as local codes may vary.

*Miami-Dade County-approved NOA #12-1106.11, for exceptional performance in high wind conditions. To comply with WindZone Performance, additional items are needed for installation. Please reference our product catalog. Expires 3/13/2018.







Look for these icons throughout the brochure on products that meet special performance requirements.

Peace of Mind

CertainTeed stands behind the Bufftech line with an exceptional lifetime limited transferable warranty. SureStart™ protection, an exclusive CertainTeed benefit, covers warranted repair and replacement costs--including labor, for five years after installation.

CertainTeed also guarantees the performance of Bufftech's darker colors and stain blends with our proprietary **ColorLast® fade protection**, a state-of-the-art acrylic formulation that provides superior protection from the harsh rays of the sun.

CertainTeed is actively pursuing strategies to reduce our environmental impact, while increasing the sustainability of our operations and products. (see back cover for complete third-party testing information).

A company you can trust.

For more than 100 years, homeowners and building professionals alike have relied on CertainTeed as a trusted source of innovative, high-quality building products. Bufftech® continues this long-standing tradition with its superior vinyl fencing line, proudly made in the U.S.A.

Select Cedar CertaGrain®

| - | | | | | | | | | | | |
|--------------|-----------------|--------------|-----------------|--------------|-----------------|----------------|-----------------|--|--|--|--|
| White | Almond | Natural Clay | Weathered Blend | White | Almond | Natural Clay | Weathered Blend | | | | |
| Select Cedar | Select Cedar | Select Cedar | Select Cedar | CertaGrain | CertaGrain | CertaGrain | CertaGrain | | | | |
| Timber Blend | Frontier Blend | Arbor Blend | | Timber Blend | Canyon Blend | Frontier Blend | Arbor Blend | | | | |
| Select Cedar | Select Cedar | Select Cedar | | CertaGrain | CertaGrain | CertaGrain | CertaGrain | | | | |
| Arctic Blend | Brazilian Blend | Sierra Blend | | Arctic Blend | Brazilian Blend | Sierra Blend | Honey Blend | | | | |
| Select Cedar | Select Cedar | Select Cedar | | CertaGrain | CertaGrain | CertaGrain | CertaGrain 5 | | | | |



Modern design with complete privacy style

Brookline Smooth

Brookline's modern style combines the luxury of complete privacy with durability and low-maintenance. Top rails in ColorLast® colors feature steel reinforcement for added support.

Heights: 4', 5' & 6'

Picket Style: 7/8" x 7" Tongue & Groove

Post Centers: 6'

White

Almond

Natural Clay

NEW PRODUCT

Brookline end channel: White fence receives White end channel while all other fence colors use Black end channels.



Steel Reinforced Bottom Rail



Bufftech's woodgrain texture offers the authentic visual of wood in an easy-to-maintain vinyl design. Both top and bottom rails feature steel reinforcement for added strength and durability.

Heights: 4', 5' & 6'

Picket Style: 7/8" x 7" Tongue & Groove

Post Centers: 6'

Texture

Weathered Blend Arctic Blend

Brazilian Blend

Sierra Blend









Improved midrail design for easier installation.

Note: new design available in Texture and Smooth

Galveston

Smooth Finish

Heights: 7' & 8'

Picket Style: 7/8" x 7" Tongue & Groove





Galveston

Smooth Finish with Lattice & Galveston with Victorian (not shown)

Heights: 6' 8" plus 1' 4" Accent Picket Style: 7/8" x 7" Tongue & Groove



Almond



Distinctive
Deco Rail Design
available with smooth
fence styles.







Customers look to CertainTeed for the latest innovations in style and performance. We're bringing you privacy in a different view with Chesterfield's expanded selection of CertaGrain® Texture Decorative Accents and Styles.

with Convex

Heights: 6' and 6-1/2'


Weathered Blend

Picket Style: 7/8" x 7" Tongue & Groove

Arctic



Steel Reinforced Bottom Rail



with Concave


Heights: 6'

Picket Style: 7/8" x 7" Tongue & Groove

Add a unique, decorative style in one of four rich blend colors with Chesterfield Concave and Convex to make your fence



Chesterfield CertaGrain Texture with Concave in Brazilian Blend



Transition from low to high fence sections. These specially designed fence sections provide an aesthetically appealing way to unify your fence installation.

with S Curve

Heights: Transitions from 6' to 4' Picket Style: 7/8" x 7" Tongue & Groove





with Swoop

Heights: Transitions from 6' to 4' Picket Style: 7/8" x 7" Tongue & Groove






For homeowners who like their privacy with a touch of style, the Chesterfield with Victorian Accent or with Lattice Accent offers two great choices.

with Victorian Accent

Heights: 4' 8" plus 1' 4" Accent Picket Style: 7/8" x 7" Tongue & Groove






with Lattice Accent

The 3-dimensional, molded, solid-color lattice features a subtle texture that complements the finish on the overall fence.

Heights: 4' 8" plus 1' 4" Accent Picket Style: 7/8" x 7" Tongue & Groove









with Swoop

Smooth Finish

Ideal for transitioning from low to high fence.

Heights: Transitions from 6' to 4' Available Colors: White & Almond Picket Style: 7/8" x 7" Tongue & Groove





with S Curve

Smooth Finish

Ideal for transitioning from low to high fence.

Heights: Transitions from 6' to 4' Available Colors: White & Almond Picket Style: 7/8" x 7" Tongue & Groove







with Westminster Accent

Heights: 4' 8" plus 1' 4" Accent Picket Style: 7/8" x 7" Tongue





with Swoop

Ideal for transitioning from low to high fence.

Heights: Transitions from 6' to 4'
Picket Style: 5/8" x 11-3/8" Tongue & Groove

White

Almond

with S Curve

Ideal for transitioning from low to high fence.

Heights: Transitions from 6' to 4'
Picket Style: 5/8" x 11-3/8" Tongue & Groove

White



with Lattice Accent

Heights: 4' 11" plus 1' 1" Accent
Picket Style: 5/8" x 11-3/8" Tongue & Groove



Almond


with Victorian Accent

Heights: 4' 11" plus 1' 1" Accent Picket Style: 5/8" x 11-3/8" Tongue & Groove











Baron

Smooth Finish

Heights: 4', 5' & 6' (5' & 6' include midrail) Picket Style: 7/8" x 3" Picket Spacing: 2-15/16"



Almond





Princeton

Heights: 4', 5' & 6' (5' & 6' include midrail) Picket Style: 7/8" x 1-1/2" Picket Spacing: 1-3/4"

White

Almond



Countess

Heights: 4', 5' & 6' (5' & 6' include midrail) Picket Style: 7/8" x 1-1/2", 7/8" x 3" Picket Spacing: 2-5/16"

White

Almond



Monarch

Heights: 4', 5' & 6' (5' & 6' include midrail) Picket Style: 7/8" x 1-1/2", 7/8" x 3" Picket Spacing: 3"

White

Almond



Victorian

Heights: 4', 5' & 6' (5' & 6' include midrail) Picket Style: 7/8" x 1-1/2" Picket Spacing: 3-5/8"

White

Classic

Sophisticated styling in an elegant design

Manchester

Thru-picket "good neighbor" design is equally attractive on both sides. Thru-picket styles are 8' wide.

Heights: 3', 4'

Picket Style: 1-1/2" Square Picket Spacing: 1-9/16"

White

Almond

Classic Impressions™ Posts

for Manchester

Heights: 3' & 4' posts available (available specifically to complement Manchester fence for flat and concave styles)

White







Concave

Heights: 3', 4' Picket Style: 1-1/2" Square Picket Spacing: 1-9/16"

White



Canterbury

Heights: 3' & 4'

Picket Style: 1-1/2" Square Picket Spacing: 1-9/16"

White

Canterbury

with Swoop

Heights: 3' & 4'

Picket Style: 1-1/2" Square Picket Spacing: 1-9/16"

White



A timeless look that's always in style

Danbury Select Cedar Texture

Straight/Concave

Thru-picket "good neighbor" design is equally attractive on both sides. Thru-picket styles are 8' wide.

Heights: 4'

Picket Style: 3" Pointed Picket Picket Spacing: 2-15/16"



Weathered Blend

Danbury Concave



Danbury

Smooth Finish Straight

Thru-picket "good neighbor" design

Heights: 4'

Picket Style: 3" Pointed Picket Picket Spacing: 2-15/16"



Almond





Thru-picket "good neighbor" design

Heights: 4'

Picket Style: 3" Dog Ear Picket Picket Spacing: 2-15/16"








Post & Rail

A winning combination of beauty, durability and versatility

Safe for Horses

Bufftech's post & rail fence provides a safe, reliable enclosure for horses and other livestock. Available with CertaGrain Texture, our post & rail fence offers the authentic look of painted wood fence with the durability, low maintenance and proven performance of Bufftech's premium vinyl design.



Rail Size (White): 1-1/2" x 5-1/2" Ribbed Rail Size (Blend Colors*): 2" x 6" Ribbed


Ribbed Reinforced Rails



4-Rail

Smooth Finish

Rail Size: 1-1/2" x 5-1/2" Ribbed, 2" x 6" Ribbed



3-Rail CertaGrain Texture


Rail Size (White): 1-1/2" x 5-1/2" Ribbed Rail Size (Blend Colors*): 2" x 6" Ribbed



3-Rail

Smooth Finish
Rail Size:
1-1/2" x 5-1/2" Ribbed,
2" x 6" Ribbed





CertaGrain Texture

Rail Size (White): 1-1/2" x 5-1/2" Ribbed Rail Size (Blend Colors*): 2" x 6" Ribbed



2-Rail Smooth Finish Rail Size: 1-1/2" x 5-1/2" Ribbed



Rail Size: 1-1/2" x 5-1/2" Ribbed



2-Rail and Crossbuck styles are recommended for decorative purposes only.


*CertaGrain Post & Rail Fence in Blend Colors is installed on 6' post centers. Consult our product installation instructions at www.certainteed.com for full details.



Chesterfield CertaGrain Texture in Arctic Blend Chesterfield Smooth Finish Concave Gate with Victorian Accent in White Chesterfield CertaGrain Texture Concave Gate with Victorian Accent in Sierra Blend Chesterfield CertaGrain Texture Convex Gate with Victorian Accent in Weathered Blend Chesterfield Smooth Finish Convex Gate with Victorian Accent in White



Bufftech offers a wide selection of residential gates designed to match all of our fence styles, in a choice of heights and widths. Beautiful and durable, Bufftech gates deliver easy installation and great performance. Choose from unassembled gate kits or pre-assembled gates that ship ready to install.



| | Pre-Assembled Gate Widths | Unassembled Gate Kit Maximum Width | Extension Kit Required** |
|-----------------------------------|-------------------------------|---|-----------------------------|
| Brookline | 50-1/2" | 70" | Yes |
| Galveston | 50-1/2" | 50-1/2" | No |
| Chesterfield | 50-1/2" | 70" | Yes |
| Chesterfield Concave Accent | 50-1/2" | na | na |
| Chesterfield Convex Accent | 50-1/2" | na | na |
| New Lexington | 42-1/2" 50-1/2" 65-1/4" | 72" | Yes |
| Breezewood | 50" | 60" | Yes |
| Imperial | 50" | 72" | Yes |
| Columbia* | 50" | 50" | No |
| Millbrook | 50" | 60" | Yes |
| Baron | 50" | 72" | Yes |
| Princeton | 50" | 72" | Yes |
| Countess | 50" | 72" | Yes |
| Monarch | 50" | 72" | Yes |
| Victorian | 50" | 72" | Yes |
| Manchester | 50" | 50" | No |
| Manchester Concave | na | 50" | No |
| Canterbury | 50" | 50" | No |
| Danbury | 50" | 50" | No |
| Cape Cod | 50" | 60" | Yes |
| Rothbury | 50" | 50" | No |
| Yorkshire | 50" | 60" | Yes |
| 2-Rail* | na | 72" | na |
| 3-Rail* | na | 96" | na |
| 4-Rail* | na | 96" | na |
| Crossbuck* | na | 96" | na |

- * All Gates are rackable, except Columbia, Post & Rail (2-Rail, 3-Rail and 4-Rail smooth finish), and Crossbuck styles.
- ** For unassembled gate kits over 50" wide to achieve maximum width

Stainless Steel Gate Hardware

Give your gate the old-world look of wrought iron with our rugged, rust-free stainless steel gate hardware. The hardware includes hinge, strike and latch and is available in Black Pebble.





Strike and Latch

Hinge

High Performance Nylon Gate Hardware Kits

Versatile and virtually maintenance free, our premium nylon gate hardware offers key lockable latches, self-closing hinges and contoured gate handles. Available in Black.

LokkLatch® Key-Lockable Gate Latch, GateHandle™, MagnaLatch® Magnetic Safety Gate Latch, LokkLatch Magnetic* and TruClose® Self-Closing Gate Hinges are registered trademarks of D&D Technologies.















LokkLatch® Magnetic

LokkLatch® with External Access Kir

LokkLatch® Deluxe

MagnaLatch® Magnetic Safety Gate Latch

GateHandle™


TruClose® Adjustable, Self-Closing Gate Hinges

Accessories

Distinctive details for the perfect finishing touch

PVC Post Caps

Bufftech's standard PVC post caps come in a variety of styles.



Decorative Post Caps

Bufftech's decorative post caps feature a metallic and powder coat finish.



Solar Post Caps & Lighting

Eco-friendly LED lights provide the ultimate in solar-powered accent lighting. Batteries included.

Solar Post Caps





*Fits both 4" x 4" and 5" x 5" post sizes. Adapter included.

Solar Wedge Lights









Vineyard Pergola

Outside Dimensions: 93"h x 89"w x 54"d Inside Dimensions: 84"h x 48"w x 54"d

White



Beaumont


Outside Dimensions: 96"h x 57"w x 32"d Inside Dimensions: 90"h x 49"w x 32"d

White

Specifications & Color Availability

| | | Height | Racking | Post Size | Section Width | Picket Size | Picket Spacing | Code | Metal Rail Reinforcement | |
|--------------|--------------------------|------------------|-------------------------|--------------------|------------------|-----------------------------------|-------------------|-----------------------|-----------------------------|--|
| | Brookline Smooth | 4', 5', 6' | Stepping Recommended | 5" x 5" | 72" | 7/8" x 7" Tongue & Groove | N/A | ⊚ [†] | Bottom** | |
| | Brookline CertaGrain | 4', 5', 6' | Stepping Recommended | 5" x 5" | 72" | 7/8" x 7" Tongue & Groove | N/A | ⊚ † | Bottom** | |
| | Galveston Smooth | 7', 8' | 5° * | 5" x 5" | 96" | 7/8" x 7" Tongue & Groove | N/A | | Top, Middle, Bottom | |
| acy | Galveston CertaGrain | 7', 8' | 5° * | 5" x 5" | 96" | 7/8" x 7" Tongue & Groove | N/A | | Top, Middle, Bottom | |
| Privacy | Chesterfield Smooth | 4', 5', 6' | 10° * | 5" x 5" | 96" | 7/8" x 7" Tongue & Groove | N/A | ® © | Bottom** | |
| | Chesterfield CertaGrain | 4', 5', 6' | 10° * | 5" x 5" | 96" | 7/8" x 7" Tongue & Groove | N/A | ₷ ○ | Bottom** | |
| | Chesterfield CertaStucco | 4', 5', 6' | 10° * | 5" x 5" | 96" | 7/8" x 7" Tongue & Groove | N/A | № ○ | Bottom | |
| | New Lexington | 4', 5', 6' | 7° * | 5" x 5" | 96" | 5/8" x 11-3/8" Tongue & Groove | N/A | | Bottom | |
| | Breezewood Select Cedar | 4', 5', 6' | Stepping Recommended | 5" x 5" | 96" | 7/8" x 3" | 21/32" | | Bottom** | |
| ate | Imperial Smooth | 4' 5', 6' | 10° 5° | 4" x 4" 5" x 5" | 96" | 7/8" x 3" | 7/16" | S | Bottom** | |
| -Priv | Imperial Select Cedar | 4' | 10° | 4" x 4" | 96" | 7/8" x 3" | 7/16" | <u></u> | Bottom** | |
| Semi-Private | Columbia | 5', 6' 5', 6' | 5° 5° | 5" x 5" | 96" | 7/8" x 6" Ribbed | 4-9/16" | | Bottom | |
| | Millbrook | 5', 6' | 5° | 5" x 5" | 96" | 7/8" x 6" Ribbed | 13/16" | | (Aluminum) Bottom | |
| | | 4' | 10° | 4" x 4" | | 1 | <u> </u> | | | |
| | Baron Smooth | 5', 6' | 5° | 5" x 5" | 96" | 7/8" x 3" | 2-15/16" | 0 | Bottom** | |
| | Baron Select Cedar | 4' 10° 4" x 4" | 96" | 7/8" x 3" | 2-15/16" | 0 | Bottom** | | | |
| ۳۲ | Daron Golder Godan | 5', 6' | 5° | 5" x 5" | | .,. | | _ | | |
| Contemporary | Princeton | 5', 6' | 10° 5° | 4" x 4" 5" x 5" | 96" | 7/8" x 1-1/2" | 1-3/4" | 0 | Bottom | |
| шe | | 4' | 10° | 4" x 4" | | 7/8" x 1-1/2" | | | | |
| onț | Countess | 5', 6' | 5° | 5" x 5" | 96" | 7/8" x 3" | 2-5/16" | 0 | Bottom | |
| Ö | Monarch | 4' | 10° | 4" x 4" | 96" | 7/8" x 1-1/2" | 3" | 0 | Bottom | |
| | WOHATCH | 5', 6' | 5° | 5" x 5" | 90 | 7/8" x 3" | 3 | • | Bottom | |
| | Victorian | 4' 5', 6' | 10° 5° | 4" x 4" 5" x 5" | 96" | 7/8" x 1-1/2" | 3-5/8" | | Bottom | |
| Sic | Manchester | 3', 4' | 5° | 5" x 5" | 96" | 1-1/2" x 1-1/2" | 1-9/16" | | Bottom | |
| Classic | Canterbury | 3', 4' | 5° | 5" x 5" | 96" | 1-1/2" x 1-1/2" | 1-9/16" | | Bottom | |
| | Danbury Smooth | 4' | 5° | 4" x 4" | 96" | 7/8" x 3" | 2-15/16" | | Bottom | |
| व्य | Danbury Select Cedar | 4' | 5° | 4" x 4" | 96" | 7/8" x 3" | 2-15/16" | | Bottom | |
| Traditional | Rothbury | 4' | 5° | 4" x 4" | 96" | 7/8" x 3" | 2-15/16" | | Bottom | |
| <u> </u> | Cape Cod | 3', 4' | 15° | 4" x 4" | 72" | 7/8" x 3" | 2-7/16" | | None | |
| | Yorkshire | 3', 4' | 15° | 5" x 5" 4" x 4" | 72" | 7/8" x 3" | 2-7/16" | | None | |
| | Post & Rail Smooth | 3', 4', 5' | 5° | 5" x 5" | 96" | N/A | N/A | | None | |
| Post & Rail | Post & Rail CertaGrain | 3', 4', 5' | 5° | 5" x 5" | 96" White | N/A | N/A | | None | |
| Post | | | | | 72" Blend Colors | | | | N. | |
| | Crossbuck | 4' | 5° | 5" x 5" | 96" | N/A | N/A | | None | |

| | | | | | | P | | | | | | | | |
|---|-------|--------|------|--------------|---------------|-----------------|--------------|--------------|----------------|-------------|--------------|-----------------|--------------|-------------|
| | a | pu | | Natural Clay | Mission Ivory | Weathered Blend | Timber Blend | Canyon Blend | Frontier Blend | Arbor Blend | Arctic Blend | Brazilian Blend | Sierra Blend | Honey Blend |
| Rails | White | Almond | Grey | Natu | Miss | Weal | Timb | Cany | Fron | Arbo | Arcti | Braz | Sierr | Hone |
| 2" x 6" Deco x 71" | • | • | | • | | | | | | | | | | |
| 2" x 6" Channeled x 71" | | | | | | • | | | | | • | • | • | |
| 2" x 6" Deco x 95" (Top/Bottom) 2" x 6" x 95" (Midrail) | • | • | | | | | | | | | | | | |
| 2" x 6" Channeled x 95" (Top/Bottom) 2" x 6" x 95" (Midrail) | | | | • | | • | | | | • | • | • | • | • |
| 2" x 6" Deco x 95" | • | • | • | • | | | | | | | | | | |
| 2" x 6" Channeled x 95" | • | • | | • | | • | • | • | • | • | • | • | | • |
| 2" x 6" Channeled x 95" | | | | | • | | | | | | | | | |
| 1-1/2" x 5-1/2" Deco x 95" | • | • | | | | | | | | | | | | |
| 2" x 6" x 95" | • | • | | • | | • | | | | | • | • | • | |
| 1-3/4" x 3-1/2" x 95-1/2" | • | • | | • | | | | | | | | | | |
| 1-3/4" x 3-1/2" x 95-1/2" | • | • | | • | | • | • | | • | • | • | • | • | |
| 3-1/2" x 3-1/2" x 94" | • | | | | | | | | | | | | | |
| 2" x 6" x 94-1/2" (Top/Bottom) 1-3/4" x 3-1/2" x 94-1/2" (Midrail) | • | • | | | | | | | | | | | | |
| 1-3/4" x 3-1/2" x 95-1/2" | • | • | | • | | | | | | | | | | |
| 1-3/4" x 3-1/2" x 95-1/2" | • | • | | • | | • | • | | • | • | • | • | • | |
| 1-3/4" x 3-1/2" x 95-1/2" | • | • | | | | | | | | | | | | |
| 1-3/4" x 3-1/2" x 95-1/2" | • | • | | | | | | | | | | | | |
| 1-3/4" x 3-1/2" x 95-1/2" | • | • | | | | | | | | | | | | |
| 1-3/4" x 3-1/2" x 95-1/2" | • | • | | | | | | | | | | | | |
| 2" x 6" x 94-1/2" (Bottom) 2" x 3-1/2" x 95" (Top) | • | • | | | | | | | | | | | | |
| 2" x 6" x 94-1/2" (Bottom) 2" x 3-1/2" x 95" (Mid/Top) | • | | | | | | | | | | | | | |
| 1-3/4" x 3-1/2" x 95-1/2" | • | • | | • | | | | | | | | | | |
| 1-3/4" x 3-1/2" x 95-1/2" | • | • | | • | | • | | | | • | • | | • | |
| 1-3/4" x 3-1/2" x 95-1/2" | • | • | | | | | | | | | | | | |
| 1-3/4" x 3-1/2" x 71-1/2" | • | | | | | | | | | | | | | |
| 1-3/4" x 3-1/2" x 71-1/2" | • | | | | | | | | | | | | | |
| 1-1/2" x 5-1/2" Ribbed or 2" x 6" Ribbed | • | • | | | | | | | | | | | | |
| 1-1/2" x 5-1/2" Ribbed (white) or 2" x 6" Ribbed (blend colors) | • | | | | | • | | | | | • | 1. | • | |
| 1-1/2" x 5-1/2" Ribbed | • | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | |



Quality Assurance

Bufftech fence products undergo rigorous testing to ensure they are manufactured to the highest standards and will withstand the test of time.

Material

- · Dimensional checks
- Wall thickness
- Cap stock thickness
- Color/gloss
- Impact
- Flex
- Tensile strength
- Accelerated weathering

Design

Railing code approvals

- Kingston CCRR-0211
- · Oxford CCRR-0187
- Panorama® CCRR-0115

Fence certifications

- Miami-Dade county approved NOA#:12-1106.11 (expires 3-13-2018)
- Gates load tested for 300lbs
- ASTM E 90 Sound Transmission Loss Test
- STC 21 (applies to Chesterfield and Galveston)

Building Responsibly with Bufftech

CertainTeed is actively pursuing strategies to reduce our environmental impact, while increasing the sustainability of our operations and products. By carefully examining all environmental impacts throughout each phase of a product's life cycle—from raw materials and manufacturing, to transportation and use, to disposal and/or recycling—we gain a complete, accurate view of our product's true sustainability.

CertainTeed conducted a Life Cycle Assessment (LCA) that was submitted to the National Institute of Standards and Technology (NIST) and was published in the building product LCA database, BEES (Building for Environmental and Economic



U.S. Department of Commerce

Sustainability). The findings from this Life Cycle Assessment provide a new, if not surprising, vantage point from which to make more credible and confident decisions on environmentally sound vinyl fence options.

All Bufftech® products are GreenCircle Certified®, a third-party auditing process designed to assure builders, regulators and homeowners that Bufftech fence complies with our environmental and sustainability claims, including the recycled content of our product.





Professional: facebook.com/CertainTeedFreedomofChoice **Consumer:** facebook.com/CertainTeedLivingSpaces



CertainTeed Corporation

20 Moores Road Malvern, PA 19355 www.certainteed.com ASK ABOUT ALL OF OUR OTHER CERTAINTEED PRODUCTS AND SYSTEMS:

ROOFING • SIDING • TRIM • DECKING • RAILING • FENCE GYPSUM • CEILINGS • INSULATION

Professional: 800-233-8990 Consumer: 800-782-8777