

# Echelon Plus<sup>®</sup>



## ORNAMENTAL ALUMINUM FENCE

Echelon Plus has taken the *quality and performance* of aluminum ornamental fencing to a higher level. The strength characteristics of the *reinforced rail and posts*, coupled with a *superior powder coat finish* make Echelon Plus the *most durable .75" ornamental picket product on the market*.

PRIMARY APPLICATIONS

- ▶ *Municipal Facilities*
- ▶ *Childcare Facilities*
- ▶ *Coastal Environments*
- ▶ *Parks & Recreation*
- ▶ *Schools*



[AMERISTARFENCE.COM](http://AMERISTARFENCE.COM) | 888-333-3422


ASSA ABLOY, the global leader in door opening solutions

**AMERISTAR<sup>®</sup>**  
**ASSA ABLOY**

# Echelon Plus®


## ORNAMENTAL ALUMINIUM FENCE

.75"sq x .045" wall PICKETS | 1.4375" x 1.25" x (.090" side / .060" top) ForeRunner™ RAILS  
2.5"sq x .060" POSTS w/reinforced internal web




Classic shown


### STYLE OPTIONS




CLASSIC™




MAJESTIC™



GENESIS™



WARRIOR™



CONQUORER™



### FABRICATION & DESIGN

Ameristar crafted the ForeRunner rail to increase strength through architecture. The innovative design of the ForeRunner rail contains an internally secured rod that allows for variable pitch connection, high angle biasability and is easy to install. Internal security eliminates the need for visually unappealing external fasteners.



### POWDERED COATED SUPERIOR FINISH

Echelon features a state of the art polyester powder coating system that provides a durable and scratch resistant finish. This eco-friendly process provides years of long-lasting durability and maintenance-free ownership.



### LIFETIME LIMITED WARRANTY

The Echelon families of aluminum fencing products are manufactured from superior quality materials by skilled craftsmen with the highest standards of workmanship in the industry. Ameristar is confident in offering Echelon with a limited lifetime warranty, backed by over 30 years of demonstrated excellence in manufacturing of ornamental fence.



### DOMESTIC MANUFACTURING

Ameristar is committed to providing products that are manufactured in the USA. We have made significant investments in technology, process improvement, and employee training in an effort to secure American jobs and combat inferior import products.




FENCE PRODUCTS

TO PLACE YOUR ORDER CALL 888-333-3422

VISIT AMERISTARFENCE.COM

## ECHELON PLUS® | 2, 3 & 4-RAIL OPTIONS | 4" AIR-SPACE

STANDARD BOTTOM & FLUSH BOTTOM OPTIONS AVAILABLE



- Ⓐ 2.5"sq x .060" POSTS (with reinforced internal web)
- Ⓑ .75"sq x 0.045" wall PICKETS
- Ⓒ 1.4375"w x 1.25"h (0.090" side / 0.060" top) ForeRunner RAILS
- Ⓓ 3', 3½', 4', 4½', 5' & 6' PANEL HEIGHTS

### PANELS REQUIRE ASSEMBLY

Refer to construction specification & tables within this section for recommended post space by bracket type

Effective: 01/06/15

## ECHELON PLUS® | 3-RAIL PANELS | 4" AIR SPACE






STANDARD BOTTOM | 8' PANEL LENGTH (91.75" actual width) | 19 PICKETS PER PANEL

| PANEL | ITEM NUMBER | WEIGHT | STOCKING              |
|-------|-------------|--------|-----------------------|
| 3'    | A☒⊗3368     | 21 lbs | ⊙                     |
| 3½'   | A☒⊗3428     | 23 lbs | ⊙                     |
| 4'    | A☒⊗3488     | 24 lbs | <u>CB MB GB WB RB</u> |
| 5'    | A☒⊗3608     | 27 lbs | <u>CB MB GB WB RB</u> |
| 6'    | A☒⊗3728     | 30 lbs | ⊙                     |

☒ = FENCE STYLES AVAILABLE | **C** = Classic **M** = Majestic **G** = Genesis  
**W** = Warrior **R** = Conqueror

⊗ = COLOR OPTIONS AVAILABLE | **B** = Black **N** = Bronze **W** = White

⊙ = NON-STOCKED PRODUCT  
 For details, see Ameristar's Sales Policy in the catalog guide.



## ECHELON PLUS® | 3-RAIL PANELS | 4" AIR SPACE






FLUSH BOTTOM | 8' PANEL LENGTH (91.75" actual width) | 19 PICKETS PER PANEL

| PANEL | ITEM NUMBER | WEIGHT | STOCKING |
|-------|-------------|--------|----------|
| 3'    | A☒⊗3368F    | 21 lbs | ⊙        |
| 3½'   | A☒⊗3428F    | 23 lbs | ⊙        |
| 4'    | A☒⊗3488F    | 24 lbs | ⊙        |
| 5'    | A☒⊗3608F    | 27 lbs | ⊙        |
| 6'    | A☒⊗3728F    | 30 lbs | ⊙        |

☒ = FENCE STYLES AVAILABLE | **C** = Classic **M** = Majestic **G** = Genesis  
**W** = Warrior **R** = Conqueror

⊗ = COLOR OPTIONS AVAILABLE | **B** = Black **N** = Bronze **W** = White

⊙ = NON-STOCKED PRODUCT  
 For details, see Ameristar's Sales Policy in the catalog guide.



Effective: 01/06/15

## ECHELON PLUS® | 3-RAIL PANELS WITH RINGS | 4" AIR SPACE

STANDARD BOTTOM | 8' PANEL LENGTH (91.75" actual width) | 19 PICKETS PER PANEL





| PANEL | ITEM NUMBER | WEIGHT | STOCKING |
|-------|-------------|--------|----------|
| 4'    | A☒⊗3488R    | 29 lbs | ☉        |
| 5'    | A☒⊗3608R    | 32 lbs | ☉        |

☒ = FENCE STYLES AVAILABLE | **C** = Classic **M** = Majestic **G** = Genesis **W** = Warrior

⊗ = COLOR OPTIONS AVAILABLE | **B** = Black **N** = Bronze **W** = White

☉ = NON-STOCKED PRODUCT

*For details, see Ameristar's Sales Policy in the catalog guide.*



*Effective: 01/06/15*

## ECHELON PLUS® | 4-RAIL PANELS | 4" AIR SPACE

STANDARD BOTTOM | 8' PANEL LENGTH (91.75" actual width) | 19 PICKETS PER PANEL


| PANEL | ITEM NUMBER | WEIGHT | STOCKING     |
|-------|-------------|--------|--------------|
| 4'    | A☒⊗4488     | 29 lbs | ☉            |
| 5'    | A☒⊗4608     | 32 lbs | ☉            |
| 6'    | A☒⊗4728     | 34 lbs | <b>CB MB</b> |

☒ = FENCE STYLES AVAILABLE | **C** = Classic **M** = Majestic **G** = Genesis  
**W** = Warrior **R** = Conqueror


⊗ = COLOR OPTIONS AVAILABLE | **B** = Black **N** = Bronze **W** = White

☉ = NON-STOCKED PRODUCT


For details, see Ameristar's Sales Policy in the catalog guide.




CLASSIC™




MAJESTIC™



GENESIS™



WARRIOR™



CONQUEROR™

## ECHELON PLUS® | 4-RAIL PANELS | 4" AIR SPACE

FLUSH BOTTOM | 8' PANEL LENGTH (91.75" actual width) | 19 PICKETS PER PANEL


| PANEL | ITEM NUMBER | WEIGHT | STOCKING |
|-------|-------------|--------|----------|
| 4'    | A☒⊗4488F    | 29 lbs | ☉        |
| 5'    | A☒⊗4608F    | 32 lbs | ☉        |
| 6'    | A☒⊗4728F    | 34 lbs | ☉        |

☒ = FENCE STYLES AVAILABLE | **C** = Classic **M** = Majestic **G** = Genesis  
**W** = Warrior **R** = Conqueror


⊗ = COLOR OPTIONS AVAILABLE | **B** = Black **N** = Bronze **W** = White

☉ = NON-STOCKED PRODUCT


For details, see Ameristar's Sales Policy in the catalog guide.




CLASSIC™




MAJESTIC™



GENESIS™



WARRIOR™



CONQUEROR™

Effective: 01/06/15

## ECHELON PLUS® | 4-RAIL PANELS WITH RINGS | 4" AIR SPACE

STANDARD BOTTOM | 8' PANEL LENGTH (91.75" actual width) | 19 PICKETS PER PANEL





| PANEL | ITEM NUMBER | WEIGHT | STOCKING |
|-------|-------------|--------|----------|
| 6'    | A☒⊗4728R    | 39 lbs | ⊙        |

☒ = FENCE STYLES AVAILABLE | **C** = Classic **M** = Majestic **G** = Genesis **W** = Warrior

⊗ = COLOR OPTIONS AVAILABLE | **B** = Black **N** = Bronze **W** = White

⊙ = NON-STOCKED PRODUCT

*For details, see Ameristar's Sales Policy in the catalog guide.*




Effective: 01/06/15

## ECHELON PLUS® | 2-RAIL POOL PANELS | 4" AIR SPACE

FLUSH BOTTOM | 6' PANEL LENGTH (73.0625" actual width) | 15 PICKETS PER PANEL

| PANEL   | ITEM NUMBER | WEIGHT | STOCKING |
|---------|-------------|--------|----------|
| 4' POOL | AM ⊗ 2486*  | 16 lbs | MB* MN*  |

- ☒ = FENCE STYLES AVAILABLE | M = Monarch\*
  - ⊗ = COLOR OPTIONS AVAILABLE | B = Black N = Bronze W = White
  - ⊙ = NON-STOCKED PRODUCT
- For details, see Ameristar's Sales Policy in the catalog guide.*






## ECHELON PLUS® | 3-RAIL POOL PANELS | 4" AIR SPACE

FLUSH BOTTOM | 8' PANEL LENGTH (91.75" actual width) | 19 PICKETS PER PANEL

| PANEL    | ITEM NUMBER | WEIGHT | STOCKING    |
|----------|-------------|--------|-------------|
| 4½' POOL | A☒ ⊗ 3548   | 25 lbs | MB MN RB RN |
| 4½' POOL | AM ⊗ 3548R  | 30 lbs | ⊙           |

- ☒ = FENCE STYLES AVAILABLE | M = Majestic R = Conqueror
  - ⊗ = COLOR OPTIONS AVAILABLE | B = Black N = Bronze W = White
  - ⊙ = NON-STOCKED PRODUCT
- For details, see Ameristar's Sales Policy in the catalog guide.*



Effective: 01/06/15



## ECHELON PLUS® | 3-RAIL PUPPY PANELS

STANDARD BOTTOM | 8' PANEL LENGTH (91.75" actual width) | 19 / 20† PICKETS PER PANEL




| PANEL | ITEM NUMBER | WEIGHT | STOCKING |
|-------|-------------|--------|----------|
| 4'    | A☒⊗3488D    | 35 lbs | ☉        |
| 5'    | A☒⊗3608D    | 38 lbs | ☉        |

☒ = FENCE STYLES AVAILABLE | **C** = Classic **M** = Majestic **G** = Genesis

⊗ = COLOR OPTIONS AVAILABLE | **B** = Black **N** = Bronze **W** = White

☉ = NON-STOCKED PRODUCT

*For details, see Ameristar's Sales Policy in the catalog guide.*



## ECHELON PLUS® | 4-RAIL PUPPY PANELS

STANDARD BOTTOM | 8' PANEL LENGTH (91.75" actual width) | 19 / 20† PICKETS PER PANEL




| PANEL | ITEM NUMBER | WEIGHT | STOCKING |
|-------|-------------|--------|----------|
| 6'    | A☒⊗4728D    | 45 lbs | ☉        |

☒ = FENCE STYLES AVAILABLE | **C** = Classic **M** = Majestic **G** = Genesis

⊗ = COLOR OPTIONS AVAILABLE | **B** = Black **N** = Bronze **W** = White

☉ = NON-STOCKED PRODUCT

*For details, see Ameristar's Sales Policy in the catalog guide.*



*Effective: 01/06/15*

## ECHELON PLUS® | FINIALS & ADORNMENTS

FINIALS & PICKET PLUGS FOR GENESIS PANELS ONLY | ADORNMENTS FOR 3-RAIL PANELS ONLY



**QUAD FLARE**

.75" / .12 lbs  
 A⊗920




**TRIAD**

.75" / .12 lbs  
 A⊗900




**ROYALTY**

.75" / .13 lbs  
 A⊗921



**RING**

4" / .72 lbs  
 A⊗901



**BUTTERFLY SCROLL**

4" x 3.5" / .2 lbs  
 H⊗506



**FLORENTINE SCROLL**

7" x 14.25" / .9 lbs  
 H⊗507

### .75" PRESS FIT PICKET FINIALS

» 19 finials required per panel

⊗ = COLOR OPTIONS AVAILABLE | **B** = Black **N** = Bronze  
**W** = White

NOTE: Picket plugs are available in bag quantities only /  
 19 plugs per bag  
 Item number: PB7519P = **B** / PW7519P = **W**

### ECHELON PLUS PANEL ADORNMENTS

» #10 x .75" self-drilling screws included


» H⊗507 & H⊗0506 = 20 per box | A⊗901 = 18 per box

⊗ = COLOR OPTIONS AVAILABLE | **B** = Black **N** = Bronze  
**W** = White

## ECHELON PLUS® | CUSTOM FINISHES


WARRANTY ON CUT COMPONENTS VOID WITHOUT PROPER TOUCH-UP APPLICATION\*

\*For details & the guidelines for the proper 3-step process, see Ameristar's Sales Policy in the catalog guide



**PAINT PEN**

.5 lbs / P⊗100



**SPRAY PAINT**


1.1 lbs / F⊗100

⊗ = COLOR OPTIONS AVAILABLE | **B** = Black **N** = Bronze **W** = White

Effective: 01/06/15


## ECHELON PLUS® | BULK RAILS & PICKETS

RAILS & PICKETS AVAILABLE IN BOX QTY ONLY | 540 RAILS PER PALLET




| DESCRIPTION                       | PANEL HEIGHT | LENGTH   | ITEM NUMBER | BOX QTY | BOX WEIGHT |
|-----------------------------------|--------------|----------|-------------|---------|------------|
| ForeRunner Rail / Through Punched | 8'           | 91.75"   | AC⊗R18R     | 18      | 68 lbs     |
|                                   | 6'           | 73.0625" | AC⊗R16R     | 18      | 55 lbs     |

*Used for all rails on Classic, Genesis & Warrior styles. Includes grommets & retaining rods.*



|                                  |    |          |          |    |        |
|----------------------------------|----|----------|----------|----|--------|
| ForeRunner Rail / Flush Top      | 8' | 91.75"   | AM⊗R18R  | 18 | 68 lbs |
|                                  | 6' | 73.0625" | AM⊗R16R  | 18 | 55 lbs |
| ForeRunner Ring Rail / Flush Top | 8' | 91.75"   | AMR⊗R18R | 18 | 68 lbs |
|                                  | 6' | 73.0625" | AMR⊗R16R | 18 | 55 lbs |

*Used for top rails on Monarch, Majestic & Conqueror styles. Includes retaining rods.*



|  |    |          |         |    |        |
|--|----|----------|---------|----|--------|
| ForeRunner Ring Rail / Through Punched | 8' | 91.75"   | AR⊗R18R | 18 | 68 lbs |
|  | 6' | 73.0625" | AR⊗R16R | 18 | 55 lbs |

*Used for second rail on all panels with rings. Includes grommets & retaining rods.*

⊗ = COLOR OPTIONS AVAILABLE | **B** = Black **N** = Bronze **W** = White

| PANEL STYLES                 | PICKET DESCRIPTION | PICKET LENGTH | ITEM NUMBER       | BOX QTY | BOX WEIGHT | STOCKING        |
|------------------------------|--------------------|---------------|-------------------|---------|------------|-----------------|
| Classic / Majestic / Genesis | Full Length        | 46"           | A ⊗ ⊗ 348         | 114     | 65 lbs     | <b>CB MB GB</b> |
| Classic / Majestic / Genesis | Full Length        | 58"           | A ⊗ ⊗ 360         | 114     | 83 lbs     | <b>CB MB GB</b> |
| Classic / Majestic / Genesis | Full Length        | 70"           | A ⊗ ⊗ 472         | 114     | 99 lbs     | <b>MB</b>       |
| Conqueror                    | Full Length        | 46"           | A <b>LR</b> ⊗ 348 | 114     | 69 lbs     | ⊙               |
| Conqueror                    | Full Length        | 54"           | A <b>LR</b> ⊗ 354 | 114     | 69 lbs     | ⊙               |
| Conqueror                    | Full Length        | 58"           | A <b>LR</b> ⊗ 360 | 114     | 69 lbs     | ⊙               |
| Conqueror                    | Full Length        | 70"           | A <b>LR</b> ⊗ 372 | 114     | 69 lbs     | ⊙               |
| Majestic                     | Full Length        | 54"           | A <b>M</b> ⊗ 354  | 114     | 69 lbs     | <b>MB</b>       |
| Monarch                      | Full Length        | 48"           | A <b>M</b> ⊗ 248* | 114     | 65 lbs     | <b>MB</b>       |
| Warrior                      | Short              | 43"           | A <b>W</b> ⊗ 348  | 114     | 65 lbs     | <b>WB</b>       |
| Warrior                      | Short              | 55"           | A <b>W</b> ⊗ 360  | 114     | 83 lbs     | <b>WB</b>       |
| Warrior                      | Short              | 67"           | A <b>W</b> ⊗ 472  | 114     | 99 lbs     | ⊙               |
| Conqueror                    | Short              | 43"           | A <b>R</b> ⊗ 348  | 114     | 61 lbs     | ⊙               |
| Conqueror                    | Short              | 51"           | A <b>R</b> ⊗ 354  | 114     | 77 lbs     | ⊙               |
| Conqueror                    | Short              | 55"           | A <b>R</b> ⊗ 360  | 114     | 83 lbs     | ⊙               |
| Conqueror                    | Short              | 67"           | A <b>R</b> ⊗ 472  | 114     | 99 lbs     | ⊙               |

⊗ = FENCE STYLES AVAILABLE | **C** = Classic **M** = Majestic / Monarch\* **G** = Genesis **W** = Warrior **R** = Conqueror

⊗ = COLOR OPTIONS AVAILABLE | **B** = Black **N** = Bronze **W** = White

⊙ = NON-STOCKED PRODUCT

*For details, see Ameristar's Sales Policy in the catalog guide. Note: Full length Classic pickets are used for the Warrior style.*


\* Flush bottom per pool requirements. Check pool code regulations in your installation area for specific requirements.

Effective: 01/06/15

TO PLACE YOUR ORDER CALL 888-333-3422 | VISIT AMERISTARFENCE.COM

**AMERISTAR**  
ASSA ABLOY

## ECHELON PLUS® | ALUMINUM SQUARE POSTS




ALUMINUM POSTS

| POST LENGTH         | ITEM NUMBER | WEIGHT |
|---------------------|-------------|--------|
| 5' 9"               | AP⊗ 25069   | 5 lbs  |
| 6' 3"               | AP⊗ 25075   | 6 lbs  |
| 6' 9"               | AP⊗ 25081   | 6 lbs  |
| 7' 9"               | AP⊗ 25093   | 7 lbs  |
| 8' 9"               | AP⊗ 25105   | 8 lbs  |
| 2.5"sq. x .060 wall |             |        |
| 7'                  | AP⊗ 30084   | 12 lbs |
| 8'                  | AP⊗ 30096   | 14 lbs |
| 9'                  | AP⊗ 30108   | 15 lbs |
| 10'                 | AP⊗ 30120   | 17 lbs |
| 3"sq. x .125 wall   |             |        |
| 7'                  | AP⊗ 40084   | 31 lbs |
| 8'                  | AP⊗ 40096   | 36 lbs |
| 9'                  | AP⊗ 40108   | 40 lbs |
| 10'                 | AP⊗ 40120   | 43 lbs |
| 4"sq. x .250 wall   |             |        |

⊗ = COLOR OPTIONS AVAILABLE | **B** = Black **N** = Bronze **W** = White

## ECHELON PLUS® | ORNAMENTAL STEEL SQUARE POSTS



STEEL POSTS








| POST LENGTH    | ITEM NUMBER | WEIGHT |
|----------------|-------------|--------|
| 5'             | P⊗ 30060    | 20 lbs |
| 6'             | P⊗ 30072    | 24 lbs |
| 7'             | P⊗ 30084    | 30 lbs |
| 8'             | P⊗ 30096    | 34 lbs |
| 9'             | P⊗ 30108    | 39 lbs |
| 10'            | P⊗ 30120    | 43 lbs |
| 3"sq. x 12 ga. |             |        |
| 6'             | P⊗ 40072    | 39 lbs |
| 7'             | P⊗ 40084    | 47 lbs |
| 8'             | P⊗ 40096    | 54 lbs |
| 9'             | P⊗ 40108    | 61 lbs |
| 10'            | P⊗ 40120    | 67 lbs |
| 4"sq. x 11 ga. |             |        |


⊗ = COLOR OPTIONS AVAILABLE | **B** = Black **N** = Bronze **W** = White

Effective: 01/06/15

## ECHELON PLUS® | BRACKETS & PANEL ACCESSORIES

AVAILABLE IN BAG QTY ONLY


|   |  |             |                    |                |                |               |
|---|--|-------------|--------------------|----------------|----------------|---------------|
|    | <b>DESCRIPTION</b>   | <b>SIZE</b> | <b>ITEM NUMBER</b> | <b>BAG QTY</b> | <b>BOX QTY</b> | <b>WEIGHT</b> |
|   | <b>Swivel Bracket</b>  | 1.5"        | AB⊗2               | 2              | 90             | .14 lbs       |
|   | <i>Bags packaged with: Self-drilling screws</i>  |             |                    |                |                |               |
|    | <b>DESCRIPTION</b>   | <b>SIZE</b> | <b>ITEM NUMBER</b> | <b>BAG QTY</b> | <b>BOX QTY</b> | <b>WEIGHT</b> |
|   | <b>Flat Mount Bracket</b>  | 1.5"        | AB⊗1               | 2              | 240            | .10 lbs       |
|   | <i>Bags packaged with: #14 x .75" self-drilling screws   .25" x 2" carriage bolts   .25" flange nuts</i> |             |                    |                |                |               |
|    | <b>DESCRIPTION</b>   | <b>SIZE</b> | <b>ITEM NUMBER</b> | <b>BAG QTY</b> | <b>BOX QTY</b> | <b>WEIGHT</b> |
|   | <b>Line Boulevard Bracket</b>  | 2.5" sq     | AB⊗3               | 2              | 100            | .41 lbs       |
|   | <i>For joining two adjacent panels in line. Fasteners included.</i>                                      |             |                    |                |                |               |
|    | <b>DESCRIPTION</b>   | <b>SIZE</b> | <b>ITEM NUMBER</b> | <b>BAG QTY</b> | <b>BOX QTY</b> | <b>WEIGHT</b> |
|   | <b>End Boulevard Bracket</b>   | 2.5" sq     | AB⊗4               | 2              | 80             | .34 lbs       |
|   | <i>For joining post to last panel in line. Fasteners included.</i>                                       |             |                    |                |                |               |
|    | <b>DESCRIPTION</b>   | <b>SIZE</b> | <b>ITEM NUMBER</b> | <b>BAG QTY</b> | <b>BOX QTY</b> | <b>WEIGHT</b> |
|   | <b>Corner Boulevard Bracket</b>  | 2.5" sq     | AB⊗5               | 2              | 100            | .41 lbs       |
|   | <i>For joining two panels that meet at right angles. Fasteners included.</i>                             |             |                    |                |                |               |
|  | <b>DESCRIPTION</b>   | <b>SIZE</b> | <b>ITEM NUMBER</b> | <b>BAG QTY</b> | <b>BOX QTY</b> | <b>WEIGHT</b> |
|   | <b>Grommet Sets</b>  | .75" sq.    | ⊗G7520P            | 20             | n/a            | .25 lbs       |
|  | <b>DESCRIPTION</b>   | <b>SIZE</b> | <b>ITEM NUMBER</b> | <b>BAG QTY</b> | <b>BOX QTY</b> | <b>WEIGHT</b> |
|   | <b>Retaining Rod</b>   | 91.75"      | H533P              | 1              | 1              | .32 lbs       |
|   |  | 71.375"     | H532P              | 1              | 1              | .25 lbs       |
|   | <i>Galvanized rod / .125" diameter</i>   |             |                    |                |                |               |



**STANDARD FLAT CAP**  
Aluminum



**BALL CAP**  
Aluminum



**POST BASE**  
Aluminum

| CAP SIZE | ITEM NUMBER | WEIGHT EA. |
|----------|-------------|------------|
| 2.5"sq   | A⊗600P      | .2 lbs     |
| 3"sq     | A⊗700P      | .3 lbs     |
| 4"sq     | A⊗800P      | .4 lbs     |

| CAP SIZE | ITEM NUMBER | WEIGHT EA. |
|----------|-------------|------------|
| 2.5"sq   | A⊗513       | .7 lbs     |
| 3"sq     | A⊗516       | .8 lbs     |
| 4"sq     | A⊗517       | 2 lbs      |

| BASE SIZE | ITEM NUMBER | WEIGHT EA. |
|-----------|-------------|------------|
| 5" sq     | APB⊗25      | 2 lbs      |

⊗ = COLOR OPTIONS AVAILABLE | **B** = Black **N** = Bronze **W** = White


Effective: 01/06/15

TO PLACE YOUR ORDER CALL 888-333-3422 | VISIT AMERISTARFENCE.COM


**AMERISTAR**  
**ASSA ABLOY**

## ECHELON PLUS® | FASTENERS


AVAILABLE IN BOX QUANTITIES ONLY



| DESCRIPTION                     | ITEM NUMBER           | BAG QTY | ITEM WEIGHT |
|---------------------------------|-----------------------|---------|-------------|
| #14 x .75" Self-Drilling Screws | 1-0004- <u>⊗</u> P-50 | 50      | .6 lbs      |
| #10 x .75" Self-Drilling Screws | 1-0002- <u>⊗</u> P-50 | 50      | .35 lbs     |



|   |                    |   |          |
|---|--------------------|---|----------|
| #10 x .625" Phillips Screws                 | 1-0005- <u>⊗</u> P | 1 | .005 lbs |
| <i>For setting angle on swivel brackets</i> |                    |   |          |



|   |                 |   |          |
|---|-----------------|---|----------|
| .25" x 2" Carriage Bolts  | H <u>⊗</u> 516P | 1 | .03 lbs  |
| .3125" x .75" Carriage Bolts  | H <u>⊗</u> 582P | 1 | .025 lbs |
| <i>2" carriage bolts for brackets / .75" carriage bolts for post base</i> |                 |   |          |



|   |                 |   |          |
|---|-----------------|---|----------|
| .25" x .28125" Drive Rivets             | H <u>⊗</u> 559P | 1 | .002 lbs |
| <i>For use with flat mount brackets</i> |                 |   |          |



|                  |                       |    |        |
|------------------|-----------------------|----|--------|
| .25" Flange Nuts | 3-0001- <u>⊗</u> P-20 | 20 | .3 lbs |
|------------------|-----------------------|----|--------|



|                 |                    |   |          |
|-----------------|--------------------|---|----------|
| .3125" Hex Nuts | 3-0002- <u>⊗</u> P | 1 | .011 lbs |
|-----------------|--------------------|---|----------|

⊗ = COLOR OPTIONS AVAILABLE | B = Black N = Bronze W = White

⊗ = COLOR OPTIONS AVAILABLE | 1 = Black 2 = Bronze 4 = White

Effective: 01/06/15

*Effective: 01/06/15*

*TO PLACE YOUR ORDER CALL 888-333-3422 | VISIT [AMERISTARFENCE.COM](http://AMERISTARFENCE.COM) |*

**AMERISTAR®**  
**ASSA ABLOY**

# ECHELON PLUS® | CONSTRUCTION SPECIFICATION 32 31 19

## ALUMINUM ORNAMENTAL FENCE SYSTEM – INTERNALLY SECURED

### PART 1 - GENERAL

#### 1.01 WORK INCLUDED

The contractor shall provide all labor, materials and all necessary items for the installation of the Echelon Plus® ornamental aluminum fence system defined herein at (specify project site).

#### 1.02 RELATED WORK

Section \_\_\_ - Earthwork

Section \_\_\_ - Concrete

#### 1.03 SYSTEM DESCRIPTION

The manufacturer shall supply a total ornamental aluminum fencing system of the Ameristar® Echelon Plus® (specify *Classic™, Majestic™, Genesis™, Warrior™, Conqueror™, Monarch Pool™, Majestic Pool™, Conqueror Pool™, Classic Puppy™, Majestic Puppy™, or Genesis Puppy™*) design. The system shall include all components (*i.e., pickets, posts, rails, gates and hardware*) required.

#### 1.04 QUALITY ASSURANCE

The contractor shall provide laborers and supervisors who are thoroughly familiar with the type of construction involved and the materials specified.

#### 1.05 REFERENCES

- **ASTM B117** – Practice for Operating Salt-Spray (Fog) Apparatus
- **ASTM B221** – Standard Specification for Aluminum and Aluminum-Alloy Extruded Bars, Rods, Wire, Profiles and Tubes
- **ASTM D523** – Test Method for Specular Gloss
- **ASTM D822** – Practice for Conducting Tests on Paint and Related Coatings and Materials using Filtered Open-Flame Carbon-Arc Light and Water Exposure Apparatus
- **ASTM D1654** – Test Method for Evaluation of Painted or Coated Specimens Subjected to Corrosive Environments
- **ASTM D2244** – Test Method for Calculation of Color Differences from Instrumentally Measured Color Coordinates
- **ASTM D2794** – Test Method for Resistance of Organic Coatings to the Effects of Rapid Deformation (Impact)
- **ASTM D3359** – Test Method for Measuring Adhesion by Tape Test

#### 1.06 SUBMITTAL

The manufacturer's submittal package shall be submitted prior to installation to confirm compliance with all requirements for materials specified in this section.

### 1.07 PRODUCT HANDLING AND STORAGE

Upon receipt at the job site, all materials shall be checked to ensure that no damages occurred during shipping or handling. Materials shall be stored in such a manner to ensure proper ventilation and drainage and to protect against damage, weather, vandalism and theft.

### PART 2 - MATERIALS

#### 2.01 MANUFACTURER

The ornamental fence system shall conform to Ameristar's Echelon Plus aluminum ornamental fencing, (*specify Classic, Majestic, Genesis, Warrior, Conqueror, Monarch Pool, Majestic Pool, Conqueror Pool, Classic Puppy, Majestic Puppy, or Genesis Puppy*) (*specify 2-rail, 3-rail, 4-rail, 3-rail with rings, or 4-rail with rings*) style manufactured by Ameristar Fence Products, Inc. in Tulsa, Oklahoma.

#### 2.02 MATERIAL

- A. Aluminum material for fence framework (*i.e., tubular pickets, rails and posts*) shall conform to the requirements of **ASTM B221**. The aluminum extrusions for posts and rails shall be Alloy and Temper Designation **6005-T52**. The aluminum extrusions for pickets shall be Alloy and Temper Designation **6063-T52**.
- B. Pickets shall be 3/4" square x .045" thick. Horizontal rails shall be 1-1/4" x 1-7/16" Forerunner™ channel with .060" thick top & internal web wall, and .090" thick side walls and shall be punched to allow picket to pass through the top of the rail. The Forerunner rail shall be constructed with an internal web providing a raceway for the pickets to be retained with a 1/8" retaining rod. The number of rails shall vary with the style, height and strength as determined by manufacturer. Fence posts and gate posts shall meet the minimum size requirements of **Table 1**.
- C. Accessories: Aluminum castings shall be used for all post caps, scrolls, finials, and other miscellaneous hardware. Hinges and latches shall be fabricated from aluminum, stainless steel or composite materials.

#### 2.03 FABRICATION

- A. Pickets, rails and posts shall be pre-cut to specified lengths. ForeRunner rails shall be pre-punched to accept pickets. Grommets shall be inserted into the pre-punched holes in the rails and pickets shall be inserted through the grommets so that pre-drilled picket holes align with the internal upper raceway of the ForeRunner rails (*Note: This can best be accomplished by using an alignment template*). Retaining rods shall be inserted into each ForeRunner rail so that they pass through the pre-drilled holes in each picket, thus completing the panel assembly.

Effective: 01/06/15



# ECHELON PLUS® | CONSTRUCTION SPECIFICATION 32 31 19

## ALUMINUM ORNAMENTAL FENCE SYSTEM – INTERNALLY SECURED

- B.** The manufactured framework shall be subjected to the Ameristar thermal stratification coating process (*high-temperature, in-line, multi-stage, and multi-layer*) including, as a minimum, a six-stage pretreatment/wash and an electrostatic spray application of a polyester finish. The topcoat shall be a “no-mar” TGIC polyester powder coat finish with a minimum thickness of 2 mils (0.0508mm). The color shall be (specify Black, Bronze, or White). The stratification-coated framework shall be capable of meeting the performance requirements for each quality characteristic shown in **Table 2**.
- C.** Finish: All fence components shall be subject to a six-stage pretreatment/wash followed by an electrostatic spray application of a “no-mar” TGIC polyester powder coat finish with a minimum thickness of 2-4 mils. The color shall be (*specify black, bronze or white*).
- D.** Completed panels shall be capable of supporting a 200 lb. load (*applied at midspan*) without permanent deformation. Panels without rings shall be biasable to a 12.5% change in grade.
- E.** Swing gates shall be fabricated using 1-1/4" x 1-7/16" Forerunner rail, 1.75" sq. x .125" gate ends, and 3/4" sq. x .080 pickets. Gates that exceed 6' in width will have a 1.75" sq. x .125" intermediate upright. All rail and upright intersections shall be joined by welding. All picket and rail intersections shall also be joined by welding.

### PART 3 - EXECUTION

#### 3.01 PREPARATION

All new installation shall be laid out by the contractor in accordance with the construction plans.

#### 3.02 FENCE INSTALLATION

Fence post shall be spaced according to **Table 3**, plus or minus 1/2". For installations that must be raked to follow sloping grades, the post spacing dimension must be measured along the grade. Fence panels shall be attached to posts with brackets supplied by the manufacturer. Posts shall be set in concrete footers 33" depth recommended (*Note: In some cases, local restrictions of freezing weather conditions may require a greater depth*). The “Earthwork” and “Concrete” sections of this specification shall govern material requirements for the concrete footer. Posts setting by other methods such as plated posts or grouted core-drilled footers are permissible only if shown by engineering analysis to be sufficient in strength for the intended application.

#### 3.03 FENCE INSTALLATION MAINTENANCE

When cutting/drilling rails or posts adhere to the following steps to seal the exposed surfaces; 1) Remove all metal shavings from cut area. 2) Apply custom finish paint matching fence color. Failure to seal exposed surfaces per steps 1 & 2 above will negate warranty. Ameristar spray cans or paint pens shall be used to finish exposed surfaces; it is recommended that paint pens be used to prevent overspray. Use of non-Ameristar parts or components will negate the manufactures’ warranty.

#### 3.04 GATE INSTALLATION

Gate posts shall be spaced according to the manufacturers’ gate drawings, dependent on standard out-to-out gate leaf dimensions and gate hardware selected. Type and quantity of gate hinges shall be based on the application; weight, height, and number of gate cycles. The manufacturers’ gate drawings shall identify the necessary gate hardware required for the application. Gate hardware shall be provided by the manufacture of the gate and shall be installed per manufacturer’s recommendations.

#### 3.05 CLEANING

The contractor shall clean the jobsite of excess materials; post-hole excavations shall be scattered uniformly away from posts.

SEE REFERENCED TABLES ON THE FOLLOWING PAGE 

Effective: 01/06/15

# ECHELON PLUS® | CONSTRUCTION SPECIFICATION 32 31 19

ALUMINUM ORNAMENTAL FENCE SYSTEM – INTERNALLY SECURED

**TABLE 1**

| MINIMUM SIZES FOR ECHELON PLUS POSTS |  |  |  |
|--------------------------------------|--|--|--|
| FENCE POSTS                          |  | PANEL HEIGHTS                                    |  |
| 2½" x 2½" x .060" w/reinforced web   |  | up to and including 6' height                    |  |
| GATE LEAF                            | GATE HEIGHT                                      |  |  |
|                                      | up to & including 4'                             | over 4' up to & including 5'                     | over 5' up to & including 6'                     |
| up to 4'                             | 2½" x 2½" x .060 alum.                           | 3" x 3" x .120" alum.                            | 4" x 4" x .250" alum.<br>or 3" x 3" 12 ga. steel |
| 4'1" to 6'                           | 3" x 3" x .120" alum.                            | 4" x 4" x .250" alum.<br>or 3" x 3" 12 ga. steel | 3" x 3" 12 ga. steel                             |
| 6'1" to 8'                           | 4" x 4" x .250" alum.<br>or 3" x 3" 12 ga. steel | 4" x 4" x 11 ga. steel                           | 4" x 4" x 11 ga. steel                           |

**TABLE 2**

| COATING PERFORMANCE REQUIREMENTS |                               |   |
|----------------------------------|-------------------------------|---|
| QUALITY CHARACTERISTICS          | ASTM TEST METHOD              | PERFORMANCE REQUIREMENTS  |
| ADHESION                         | D3359 – METHOD B              | Adhesion ( <i>retention of coating</i> ) over 90% of test area ( <i>tape and knife kit test</i> ).  |
| CORROSION RESISTANCE             | B117, D714, D1654             | Corrosion resistance over 1,500 hours ( <i>scribed per D1654; failure mode is accumulation of 1/8" coating loss from scribe or medium #8 blisters</i> ) |
| IMPACT RESISTANCE                | D2794                         | Impact resistance over 60" lb. ( <i>forward impact using 0.625" ball</i> ).   |
| WEATHERING RESISTANCE            | D822 D2244, D523 (60° method) | Weathering resistance over 1,000 hours ( <i>failure mode is 60% loss of gloss or color variance of more than 3 delta-E color units</i> ).               |

**TABLE 3**

| ECHELON PLUS POST SPACING BY BRACKET TYPE |                                |                             |       |                                |      |
|---|--------------------------------|-----------------------------|-------|--------------------------------|------|
| SPAN                                      | 8' nominal (91.75" rail)       |                             |       |                                |      |
| POST SIZE                                 | 2½"                            | 2½"                         | 3"    | 2½"                            | 3"   |
| BRACKET TYPE                              | Echelon Plus Line Blvd. (ABB3) | Echelon Plus Swivel* (ABB2) |       | Echelon Plus Flat Mount (ABB1) |      |
| POST SETTINGS ± ¼" O.C.                   | 95"                            | *95"                        | *95½" | 95"                            | 95½" |

**TABLE 3**

| SPAN                    | 6' nominal (73.0625" rail)     |                             |       |                                |      |
|-------------------------|--------------------------------|-----------------------------|-------|--------------------------------|------|
| POST SIZE               | 2½"                            | 2½"                         | 3"    | 2½"                            | 3"   |
| BRACKET TYPE            | Echelon Plus Line Blvd. (ABB3) | Echelon Plus Swivel* (ABB2) |       | Echelon Plus Flat Mount (ABB1) |      |
| POST SETTINGS ± ¼" O.C. | 76¼"                           | *76¼"                       | *76¼" | 76¼"                           | 76¼" |

\*When using ABB2 swivel brackets on either or both ends of a panel installation, care must be taken to ensure the spacing between post and adjoining pickets meets applicable codes. This will require trimming one or both ends of the panel.

**TABLE 4**

| ECHELON PLUS WIND LOADING |             |                                 |                                 |                                  |
|---------------------------|-------------|---------------------------------|---------------------------------|----------------------------------|
| FENCE HEIGHT              | RAIL LENGTH | POST SIZE                       | WIND LOAD CAPACITY FACTOR (PSF) | TYPICAL WIND LOAD CAPACITY (MPH) |
| 4'                        | 6'          | 2½" x 2½" tube w/reinforced web | 85 (PSF)                        | 215 (MPH)                        |
|                           | 8'          | 2½" x 2½" tube w/reinforced web | 68 (PSF)                        | 193 (MPH)                        |
| 5'                        | 8'          | 2½" x 2½" tube w/reinforced web | 47 (PSF)                        | 159 (MPH)                        |
| 6'                        | 8'          | 2½" x 2½" tube w/reinforced web | 42 (PSF)                        | 151 (MPH)                        |

MPH values shown in Table 4 are provided for information only. They are calculated using ANSI/ASCE 7-05, "American Society of Civil Engineers Minimum Design Loads for Buildings and Other Structures" Exposure Category C (open terrain with scattered obstructions having lengths generally less than 30 feet), based on post setting in 36" deep concrete footer in soil assumed to be of mid-range strength and compaction. Since specified project conditions such as jurisdictional building codes, elevation of installation, post base/footer design, soil strength, etc., may change from project to project, a structural engineering evaluation, unique to applicable requirements and conditions, should be performed. Consult your Ameristar Service Representative for an estimate on Engineering Analysis and P.E. Certification.

Effective: 01/06/15

## ECHELON PLUS® | LIMITED LIFETIME WARRANTY

### COMMERCIAL ALUMINUM ORNAMENTAL FENCE

Echelon Plus® Commercial Aluminum Ornamental Fence System by Ameristar® is manufactured from the highest quality materials by skilled craftsmen to meet the highest standards of workmanship in the industry. Extruded aluminum framework shall be subject to a six stage pretreatment/wash followed by an electrostatic spray application of “no-mar” TGIC polyester powder coat finish, which provides the protection necessary to withstand adverse environmental conditions.

The powder coated surface on all aluminum framework (*i.e., pickets, rails and posts*) by Ameristar is guaranteed under normal and proper usage, against cracking, peeling, chipping, blistering or corroding for a lifetime limited period. Normal and proper usage does not include physical damage, abrasion or exposure to salty environments to the protective coating.

Echelon Plus Commercial Aluminum Ornamental Fence System framework is also guaranteed for the same period of time against defects in workmanship or materials.

Should any ornamental fence framework manufactured by Ameristar Fence Products fail in accordance with any of the above conditions, Ameristar Fence Products warrants to the original purchaser their redemption through replacement or renewal. The decision as to which method of redemption is allowed is solely at the discretion of Ameristar. Notice of failure under the conditions of this warranty shall be sent to Ameristar Fence Products or its authorized representative, in writing, together with proof of purchase and shall specify the nature of the defect and when it was first observed. Should the fence be improperly installed, Ameristar Fence Products shall not be responsible for guaranteed performance or appearance of the material. Neither does this guarantee apply when failure or damage is due to improper use or application, abuse or misuse, vandalism or acts of God. Ameristar Fence Products reserves the right to inspect the material to determine validity of the claim.


Upon validation of the claim by Ameristar Fence Products or its authorized representative, redemption by replacement or renewal shall be made by Ameristar Fence Products. Reimbursement for the costs of removal and installation of materials are not included in the guarantee, nor will Ameristar Fence Products provide those services.

The above constitutes the complete warranty by the manufacturer. No other agreement, written or implied, is valid. Ameristar Fence Products does not authorize any other person or agent to make any other express warranties. Ameristar Fence Products neither assumes nor authorizes any other person or agent to assume any other liability in connection with Echelon Plus Commercial Aluminum Ornamental Fence System. Some jurisdictions do not allow limitations on how long an implied warranty lasts, nor do they allow an exclusion or limitation of incidental or consequential damages; therefore, the limitations and exclusions noted herein may not apply.

Effective: 01/06/15

# ECHELON PLUS® | SINGLE SWING GATE SPECIFICATIONS


1.75"sq x .125" wall GATE ENDS | 1.25" ForeRunner™ RAILS | .75"sq x .080" wall PICKETS



SINGLE SWING  
 HARDWARE KITS & POST  
 INTERSPACES

| OPENING | LEAF WIDTH* | TCSGK TRU-CLOSE HINGE KIT |      |                | AGBS25 / SGBS3 BOLT-ON HARDWARE KITS |    |                | SGBS25A / SGBS3A AMERISTAR LOCK / BOLT-ON HINGE KIT |       |                |
|---------|-------------|---------------------------|------|----------------|--------------------------------------|----|----------------|---|-------|----------------|
|         |             | HC                        | LC   | P <sub>S</sub> | HC                                   | LC | P <sub>S</sub> | HC  | LC    | P <sub>S</sub> |
| 3.5'    | 40"         | .75"                      | .75" | 41.5"          | 2"                                   | 2" | 44"            | 2"  | .625" | 42.625"        |
| 4'      | 49.5"       | .75"                      | .75" | 51"            | 2"                                   | 2" | 53.5"          | 2"  | .625" | 52.125"        |
| 5'      | 58.75"      | .75"                      | .75" | 60.25"         | 2"                                   | 2" | 62.75"         | 2"  | .625" | 61.375"        |
| 6'      | 68"         | .75"                      | .75" | 69.5"          | 2"                                   | 2" | 72"            | 2"  | .625" | 70.625"        |


W = width\* | HC = hinge clearance | LC = latch clearance | P<sub>S</sub> = gate post spacing\*\*  
 \* From outside to outside | \*\* From inside to inside



Effective: 01/06/15

# ECHELON PLUS® | DOUBLE SWING GATE SPECIFICATIONS


1.75"sq x .125" wall GATE ENDS | 1.25" ForeRunner™ RAILS | .75"sq x .080" wall PICKETS



| OPENING | LEAF WIDTH* | AGBD BOLT-ON HINGE KITS |    |                | AGBDX BOX HINGE KIT WITH UPRIGHT |    |                | CGBD COMMERCIAL HINGE KIT W/ STRONGARM |    |                |
|---------|-------------|-------------------------|----|----------------|----------------------------------|----|----------------|--|----|----------------|
|         |             | HC                      | LC | P <sub>d</sub> | HC                               | LC | P <sub>d</sub> | HC                                     | LC | P <sub>d</sub> |
| 7'      | 40"         | 2"                      | 2" | 86"            | 2.375"                           | 2" | 86.75"         | 1"                                     | 2" | 84"            |
| 8'      | 49.5"       | 2"                      | 2" | 105"           | 2.375"                           | 2" | 105.75"        | 1"                                     | 2" | 103"           |
| 10'     | 58.75"      | 2"                      | 2" | 123.5"         | 2.375"                           | 2" | 124.25"        | 1"                                     | 2" | 121.5"         |
| 12'     | 68"         | 2"                      | 2" | 142"           | 2.375"                           | 2" | 142.75"        | 1"                                     | 2" | 140"           |

DOUBLE SWING  
 HARDWARE KITS & POST  
 INTERSPACES

W = width (x2)\* | HC = hinge clearance (x2) | LC = latch clearance | P<sub>d</sub> = gate post spacing\*\*  
 \* From outside to outside | \*\* From inside to inside





Effective: 01/06/15

# ECHELON PLUS® | 3-RAIL SINGLE SWING GATES



STANDARD BOTTOM | GATE HARDWARE NOT INCLUDED

|               | OPENING | LEAF WIDTH | ITEM NUMBER | PICKET QTY | WEIGHT | STOCKING |
|---------------|---------|------------|-------------|------------|--------|----------|
| 3'<br>HEIGHT  | 3½'     | 40"        | A☒⊗336-42   | 7          | 19 lbs | ⊙        |
|               | 4'      | 49.5"      | A☒⊗336-48   | 9          | 24 lbs | ⊙        |
|               | 5'      | 58.75"     | A☒⊗336-60   | 11         | 28 lbs | ⊙        |
| 3½'<br>HEIGHT | 3½'     | 40"        | A☒⊗342-42   | 7          | 21 lbs | ⊙        |
|               | 4'      | 49.5"      | A☒⊗342-48   | 9          | 26 lbs | ⊙        |
|               | 5'      | 58.75"     | A☒⊗342-60   | 11         | 30 lbs | ⊙        |
| 4'<br>HEIGHT  | 3½'     | 40"        | A☒⊗348-42   | 7          | 23 lbs | ⊙        |
|               | 4'      | 49.5"      | A☒⊗348-48   | 9          | 28 lbs | ⊙        |
|               | 5'      | 58.75"     | A☒⊗348-60   | 11         | 32 lbs | ⊙        |
| 5'<br>HEIGHT  | 3½'     | 40"        | A☒⊗360-42   | 7          | 27 lbs | ⊙        |
|               | 4'      | 49.5"      | A☒⊗360-48   | 9          | 32 lbs | ⊙        |
|               | 5'      | 58.75"     | A☒⊗360-60   | 11         | 36 lbs | ⊙        |
| 6'<br>HEIGHT  | 3½'     | 40"        | A☒⊗372-42   | 7          | 31 lbs | ⊙        |
|               | 4'      | 49.5"      | A☒⊗372-48   | 9          | 36 lbs | ⊙        |
|               | 5'      | 58.75"     | A☒⊗372-60   | 11         | 40 lbs | ⊙        |
|               | 6'      | 68"        | A☒⊗372-72   | 13         | 46 lbs | ⊙        |




CLASSIC™

MAJESTIC™



GENESIS™

WARRIOR™



CONQUEROR™

☒ = FENCE STYLES AVAILABLE | **C** = Classic **M** = Majestic **G** = Genesis **W** = Warrior **R** = Conqueror

⊗ = COLOR OPTIONS AVAILABLE | **B** = Black **N** = Bronze **W** = White

⊙ = NON-STOCKED PRODUCT


For details, see Ameristar's Sales Policy in the catalog guide.

Effective: 01/06/15


## ECHELON PLUS® | 3-RAIL SINGLE SWING GATES

FLUSH BOTTOM | GATE HARDWARE NOT INCLUDED


|               | OPENING | LEAF WIDTH | ITEM NUMBER | PICKET QTY | WEIGHT | STOCKING |
|---------------|---------|------------|-------------|------------|--------|----------|
| 3'<br>HEIGHT  | 3½'     | 40"        | A☒☒336-42F  | 7          | 19 lbs | ☉        |
|               | 4'      | 49.5"      | A☒☒336-48F  | 9          | 24 lbs | ☉        |
|               | 5'      | 58.75"     | A☒☒336-60F  | 11         | 28 lbs | ☉        |
| 3½'<br>HEIGHT | 3½'     | 40"        | A☒☒342-42F  | 7          | 21 lbs | ☉        |
|               | 4'      | 49.5"      | A☒☒342-48F  | 9          | 26 lbs | ☉        |
|               | 5'      | 58.75"     | A☒☒342-60F  | 11         | 30 lbs | ☉        |
| 4'<br>HEIGHT  | 3½'     | 40"        | A☒☒348-42F  | 7          | 23 lbs | ☉        |
|               | 4'      | 49.5"      | A☒☒348-48F  | 9          | 28 lbs | ☉        |
|               | 5'      | 58.75"     | A☒☒348-60F  | 11         | 32 lbs | ☉        |
| 5'<br>HEIGHT  | 3½'     | 40"        | A☒☒360-42F  | 7          | 27 lbs | ☉        |
|               | 4'      | 49.5"      | A☒☒360-48F  | 9          | 32 lbs | ☉        |
|               | 5'      | 58.75"     | A☒☒360-60F  | 11         | 36 lbs | ☉        |
| 6'<br>HEIGHT  | 3½'     | 40"        | A☒☒372-42F  | 7          | 31 lbs | ☉        |
|               | 4'      | 49.5"      | A☒☒372-48F  | 9          | 36 lbs | ☉        |
|               | 5'      | 58.75"     | A☒☒372-60F  | 11         | 40 lbs | ☉        |
|               | 6'      | 68"        | A☒☒372-72F  | 13         | 46 lbs | ☉        |




CLASSIC™




MAJESTIC™



GENESIS™



WARRIOR™



CONQUEROR™

☒ = FENCE STYLES AVAILABLE | C = Classic M = Majestic G = Genesis W = Warrior R = Conqueror

☒ = COLOR OPTIONS AVAILABLE | B = Black N = Bronze W = White

☉ = NON-STOCKED PRODUCT

For details, see Ameristar's Sales Policy in the catalog guide.


\*Flush bottom per pool requirements. Check pool code regulations in your installation area for specific requirements.

Effective: 01/06/15

# ECHELON PLUS® | 3-RAIL SINGLE SWING GATES WITH RINGS

STANDARD BOTTOM | GATE HARDWARE NOT INCLUDED

|              | OPENING | LEAF WIDTH | ITEM NUMBER | PICKET QTY | WEIGHT | STOCKING |
|--------------|---------|------------|-------------|------------|--------|----------|
| 4'<br>HEIGHT | 3½'     | 40"        | A☒ⓧ348-42R  | 7          | 25 lbs | ⊙        |
|              | 4'      | 49.5"      | A☒ⓧ348-48R  | 9          | 31 lbs | ⊙        |
|              | 5'      | 58.75"     | A☒ⓧ348-60R  | 11         | 35 lbs | ⊙        |
|              | 6'      | 68"        | A☒ⓧ348-72R  | 13         | 40 lbs | ⊙        |
| 5'<br>HEIGHT | 3½'     | 40"        | A☒ⓧ360-42R  | 7          | 29 lbs | ⊙        |
|              | 4'      | 49.5"      | A☒ⓧ360-48R  | 9          | 35 lbs | ⊙        |
|              | 5'      | 58.75"     | A☒ⓧ360-60R  | 11         | 39 lbs | ⊙        |
|              | 6'      | 68"        | A☒ⓧ360-72R  | 13         | 45 lbs | ⊙        |



☒ = FENCE STYLES AVAILABLE | C = Classic M = Majestic G = Genesis W = Warrior

ⓧ = COLOR OPTIONS AVAILABLE | B = Black N = Bronze W = White

⊙ = NON-STOCKED PRODUCT

For details, see Ameristar's Sales Policy in the catalog guide.


Effective: 01/06/15




## ECHELON PLUS® | 4-RAIL SINGLE SWING GATES

STANDARD BOTTOM | GATE HARDWARE NOT INCLUDED

|              | OPENING | LEAF WIDTH | ITEM NUMBER | PICKET QTY | WEIGHT | STOCKING |
|--------------|---------|------------|-------------|------------|--------|----------|
| 4'<br>HEIGHT | 3½'     | 40"        | A☒☒448-42   | 7          | 25 lbs | ☉        |
|              | 4'      | 49.5"      | A☒☒448-48   | 9          | 29 lbs | ☉        |
|              | 5'      | 58.75"     | A☒☒448-60   | 11         | 35 lbs | ☉        |
|              | 6'      | 68"        | A☒☒448-72   | 13         | 40 lbs | ☉        |
| 5'<br>HEIGHT | 3½'     | 40"        | A☒☒460-42   | 7          | 29 lbs | ☉        |
|              | 4'      | 49.5"      | A☒☒460-48   | 9          | 34 lbs | ☉        |
|              | 5'      | 58.75"     | A☒☒460-60   | 11         | 39 lbs | ☉        |
|              | 6'      | 68"        | A☒☒460-72   | 13         | 45 lbs | ☉        |
| 6'<br>HEIGHT | 3½'     | 40"        | A☒☒472-42   | 7          | 33 lbs | ☉        |
|              | 4'      | 49.5"      | A☒☒472-48   | 9          | 39 lbs | ☉        |
|              | 5'      | 58.75"     | A☒☒472-60   | 11         | 45 lbs | ☉        |
|              | 6'      | 68"        | A☒☒472-72   | 13         | 52 lbs | ☉        |




CLASSIC™




MAJESTIC™



GENESIS™



WARRIOR™



CONQUEROR™

☒ = FENCE STYLES AVAILABLE | C = Classic M = Majestic G = Genesis W = Warrior R = Conqueror

☒ = COLOR OPTIONS AVAILABLE | B = Black N = Bronze W = White


☉ = NON-STOCKED PRODUCT

For details, see Ameristar's Sales Policy in the catalog guide.


## ECHELON PLUS® | 4-RAIL SINGLE SWING GATES

FLUSH BOTTOM | GATE HARDWARE NOT INCLUDED


|              | OPENING | LEAF WIDTH | ITEM NUMBER | PICKET QTY | WEIGHT | STOCKING |
|--------------|---------|------------|-------------|------------|--------|----------|
| 4'<br>HEIGHT | 3½'     | 40"        | A☒☒448-42F  | 7          | 25 lbs | ☉        |
|              | 4'      | 49.5"      | A☒☒448-48F  | 9          | 29 lbs | ☉        |
|              | 5'      | 58.75"     | A☒☒448-60F  | 11         | 35 lbs | ☉        |
|              | 6'      | 68"        | A☒☒448-72F  | 13         | 40 lbs | ☉        |
| 5'<br>HEIGHT | 3½'     | 40"        | A☒☒460-42F  | 7          | 29 lbs | ☉        |
|              | 4'      | 49.5"      | A☒☒460-48F  | 9          | 34 lbs | ☉        |
|              | 5'      | 58.75"     | A☒☒460-60F  | 11         | 39 lbs | ☉        |
|              | 6'      | 68"        | A☒☒460-72F  | 13         | 45 lbs | ☉        |
| 6'<br>HEIGHT | 3½'     | 40"        | A☒☒472-42F  | 7          | 33 lbs | ☉        |
|              | 4'      | 49.5"      | A☒☒472-48F  | 9          | 39 lbs | ☉        |
|              | 5'      | 58.75"     | A☒☒472-60F  | 11         | 45 lbs | ☉        |
|              | 6'      | 68"        | A☒☒472-72F  | 13         | 52 lbs | ☉        |




CLASSIC™




MAJESTIC™



GENESIS™



WARRIOR™



CONQUEROR™

☒ = FENCE STYLES AVAILABLE | C = Classic M = Majestic G = Genesis W = Warrior R = Conqueror

☒ = COLOR OPTIONS AVAILABLE | B = Black N = Bronze W = White

☉ = NON-STOCKED PRODUCT

For details, see Ameristar's Sales Policy in the catalog guide.

Effective: 01/06/15

# ECHELON PLUS® | 4-RAIL SINGLE SWING GATES WITH RINGS

STANDARD BOTTOM | GATE HARDWARE NOT INCLUDED


|              | OPENING | LEAF WIDTH | ITEM NUMBER | PICKET QTY | WEIGHT | STOCKING |
|--------------|---------|------------|-------------|------------|--------|----------|
| 6'<br>HEIGHT | 3½'     | 40"        | A☒⊗472-42R  | 7          | 25 lbs | ⊙        |
|              | 4'      | 49.5"      | A☒⊗472-48R  | 9          | 31 lbs | ⊙        |
|              | 5'      | 58.75"     | A☒⊗472-60R  | 11         | 35 lbs | ⊙        |
|              | 6'      | 68"        | A☒⊗472-72R  | 13         | 40 lbs | ⊙        |

☒ = FENCE STYLES AVAILABLE | **C** = Classic **M** = Majestic **G** = Genesis **W** = Warrior


⊗ = COLOR OPTIONS AVAILABLE | **B** = Black **N** = Bronze **W** = White

⊙ = NON-STOCKED PRODUCT


For details, see Ameristar's Sales Policy in the catalog guide.




CLASSIC™



MAJESTIC™



GENESIS™



WARRIOR™

Effective: 01/06/15

## ECHELON PLUS® | 2-RAIL SINGLE SWING POOL GATES

FLUSH BOTTOM | GATE HARDWARE NOT INCLUDED

| 4'<br>HEIGHT | OPENING  | LEAF WIDTH | ITEM NUMBER  | PICKET QTY | WEIGHT | STOCKING |
|--------------|----------|------------|--------------|------------|--------|----------|
|              | 3½' POOL | 40"        | AM ⊗ 248-42* | 7          | 25 lbs | ⊙        |
|              | 4' POOL  | 49.5"      | AM ⊗ 248-48* | 9          | 31 lbs | ⊙        |
|              | 5' POOL  | 58.75"     | AM ⊗ 248-60* | 11         | 35 lbs | ⊙        |
|              | 6' POOL  | 68"        | AM ⊗ 248-72* | 13         | 40 lbs | ⊙        |




MONARCH™

- ⊗ = FENCE STYLES AVAILABLE | **M** = Monarch\*
  - ⊗ = COLOR OPTIONS AVAILABLE | **B** = Black **N** = Bronze **W** = White
  - ⊙ = NON-STOCKED PRODUCT
- For details, see Ameristar's Sales Policy in the catalog guide.*


## ECHELON PLUS® | 3-RAIL SINGLE SWING POOL GATES

FLUSH BOTTOM | GATE HARDWARE NOT INCLUDED


| 4½'<br>HEIGHT | OPENING  | LEAF WIDTH | ITEM NUMBER  | PICKET QTY | WEIGHT | STOCKING |
|---------------|----------|------------|--------------|------------|--------|----------|
|               | 3½' POOL | 40"        | A⊗ ⊗ 354-42  | 7          | 29 lbs | ⊙        |
|               | 4' POOL  | 49.5"      | A⊗ ⊗ 354-48  | 9          | 35 lbs | ⊙        |
|               | 5' POOL  | 58.75"     | A⊗ ⊗ 354-60  | 11         | 39 lbs | ⊙        |
|               | 6' POOL  | 68"        | A⊗ ⊗ 354-72  | 13         | 45 lbs | ⊙        |
|               | 3½' POOL | 40"        | AM ⊗ 354-42R | 7          | 29 lbs | ⊙        |
|               | 4' POOL  | 49.5"      | AM ⊗ 354-48R | 9          | 35 lbs | ⊙        |
|               | 6' POOL  | 68"        | AM ⊗ 354-72R | 13         | 45 lbs | ⊙        |



MAJESTIC™



CONQUEROR™



MAJESTIC™

- ⊗ = FENCE STYLES AVAILABLE | **M** = Majestic **R** = Conqueror
  - ⊗ = COLOR OPTIONS AVAILABLE | **B** = Black **N** = Bronze **W** = White
  - ⊙ = NON-STOCKED PRODUCT
- For details, see Ameristar's Sales Policy in the catalog guide.*

Effective: 01/06/15

## ECHELON PLUS® | 3-RAIL SINGLE SWING PUPPY GATES

STANDARD BOTTOM | GATE HARDWARE NOT INCLUDED


|              | OPENING | LEAF WIDTH | ITEM NUMBER | PICKET QTY | WEIGHT | STOCKING |
|--------------|---------|------------|-------------|------------|--------|----------|
| 4'<br>HEIGHT | 3½'     | 40"        | A☒☒348-42D  | 7          | 27 lbs | ☉        |
|              | 4'      | 49.5"      | A☒☒348-48D  | 9          | 33 lbs | ☉        |
|              | 5'      | 58.75"     | A☒☒348-60D  | 11         | 37 lbs | ☉        |
|              | 6'      | 68"        | A☒☒348-72D  | 13         | 43 lbs | ☉        |
| 5'<br>HEIGHT | 3½'     | 40"        | A☒☒360-42D  | 7          | 31 lbs | ☉        |
|              | 4'      | 49.5"      | A☒☒360-48D  | 9          | 37 lbs | ☉        |
|              | 5'      | 58.75"     | A☒☒360-60D  | 11         | 42 lbs | ☉        |
|              | 6'      | 68"        | A☒☒360-72D  | 13         | 48 lbs | ☉        |

☒ = FENCE STYLES AVAILABLE | C = Classic M = Majestic G = Genesis


☒ = COLOR OPTIONS AVAILABLE | B = Black N = Bronze W = White

☉ = NON-STOCKED PRODUCT


For details, see Ameristar's Sales Policy in the catalog guide.



CLASSIC™



MAJESTIC™



GENESIS™

## ECHELON PLUS® | 4-RAIL SINGLE SWING PUPPY GATES

STANDARD BOTTOM | GATE HARDWARE NOT INCLUDED


|              | OPENING | LEAF WIDTH | ITEM NUMBER | PICKET QTY | WEIGHT | STOCKING |
|--------------|---------|------------|-------------|------------|--------|----------|
| 6'<br>HEIGHT | 3½'     | 40"        | A☒☒472-42D  | 7          | 37 lbs | ☉        |
|              | 4'      | 49.5"      | A☒☒472-48D  | 9          | 44 lbs | ☉        |
|              | 5'      | 58.75"     | A☒☒472-60D  | 11         | 51 lbs | ☉        |
|              | 6'      | 68"        | A☒☒472-72D  | 13         | 59 lbs | ☉        |

☒ = FENCE STYLES AVAILABLE | C = Classic M = Majestic G = Genesis


☒ = COLOR OPTIONS AVAILABLE | B = Black N = Bronze W = White

☉ = NON-STOCKED PRODUCT


For details, see Ameristar's Sales Policy in the catalog guide.



CLASSIC™



MAJESTIC™



GENESIS™

Effective: 01/06/15

*Effective: 01/06/15*

***TO PLACE YOUR ORDER CALL 888-333-3422 | VISIT [AMERISTARFENCE.COM](http://AMERISTARFENCE.COM)***

**AMERISTAR®**  
**ASSA ABLOY**

*ECHELON II® ECHELON PLUS® ECHELON®*

*ECHELON PLUS® | ORNAMENTAL ALUMINUM FENCE*


*Effective: 01/06/15*

**AMERISTAR**  
**ASSA ABLOY**

*TO PLACE YOUR ORDER CALL 888-333-3422 | VISIT AMERISTARFENCE.COM*

# ECHELON PLUS® | SINGLE SWING GATE SPECIFICATIONS


2"sq x .25" wall GATE ENDS | 1" x 2" x .25" wall CHANNEL RAILS | .75"sq x .125" wall PICKETS | 3.5' - 7' NOMINAL OPENINGS



TCSGK  
TRU-CLOSE  
HINGE KIT
EGBS25 / EGBS3  
BOLT-ON HARDWARE  
KITS
EGBS25A / EGBS3A  
AMERISTAR LOCK /  
BOLT-ON HINGE KIT

| OPENING | LEAF WIDTH* | HC   | LC   | P <sub>s</sub> | HC | LC | P <sub>s</sub> | HC | LC    | P <sub>s</sub> |
|---------|-------------|------|------|----------------|----|----|----------------|----|-------|----------------|
| 3.5'    | 40"         | .75" | .75" | 41.5"          | 2" | 2" | 44"            | 2" | .625" | 42.625"        |
| 4'      | 49.5"       | .75" | .75" | 51"            | 2" | 2" | 53.5"          | 2" | .625" | 52.125"        |
| 5'      | 58.75"      | .75" | .75" | 60.25"         | 2" | 2" | 62.75"         | 2" | .625" | 61.375"        |
| 6'      | 68"         | .75" | .75" | 69.5"          | 2" | 2" | 72"            | 2" | .625" | 70.625"        |
| 7'      | 86.75"      | .75" | .75" | 88.25"         | 2" | 2" | 90.75"         | 2" | .625" | 89.375"        |

**W = width\*** | **HC = hinge clearance** | **LC = latch clearance** | **P<sub>s</sub> = gate post spacing\*\***  
*\* From outside to outside | \*\* From inside to inside*




Effective: 01/06/15

## ECHELON PLUS® | 3-RAIL SINGLE SWING ARCHED GATES

STANDARD BOTTOM | GATE HARDWARE NOT INCLUDED

|              | OPENING | LEAF WIDTH | ITEM NUMBER | PICKET QTY | WEIGHT | STOCKING |
|--------------|---------|------------|-------------|------------|--------|----------|
| 4'<br>HEIGHT | 3½'     | 40"        | A☒☒348-42A  | 7          | 42 lbs | ☉        |
|              | 4'      | 49.5"      | A☒☒348-48A  | 9          | 48 lbs | ☉        |
|              | 5'      | 58.75"     | A☒☒348-60A  | 11         | 55 lbs | ☉        |
|              | 6'      | 68"        | A☒☒348-72A  | 13         | 62 lbs | ☉        |
|              | 7'      | 86.75"     | A☒☒348-84A  | 17         | 75 lbs | ☉        |
| 5'<br>HEIGHT | 3½'     | 40"        | A☒☒360-42A  | 7          | 49 lbs | ☉        |
|              | 4'      | 49.5"      | A☒☒360-48A  | 9          | 57 lbs | ☉        |
|              | 5'      | 58.75"     | A☒☒360-60A  | 11         | 65 lbs | ☉        |
|              | 6'      | 68"        | A☒☒360-72A  | 13         | 72 lbs | ☉        |
|              | 7'      | 86.75"     | A☒☒360-84A  | 17         | 88 lbs | ☉        |

☒ = FENCE STYLES AVAILABLE | **C** = Classic **M** = Majestic **G** = Genesis **W** = Warrior **R** = Conqueror  
 ☒ = COLOR OPTIONS AVAILABLE | **B** = Black **N** = Bronze **W** = White  
 ☉ = NON-STOCKED PRODUCT  
 For details, see Ameristar's Sales Policy in the catalog guide.




## ECHELON PLUS® | 3-RAIL SINGLE SWING ARCHED GATES WITH RINGS

STANDARD BOTTOM | GATE HARDWARE NOT INCLUDED

|              | OPENING | LEAF WIDTH | ITEM NUMBER | PICKET QTY | WEIGHT | STOCKING |
|--------------|---------|------------|-------------|------------|--------|----------|
| 4'<br>HEIGHT | 3.5'    | 40"        | A☒☒348-42AR | 7          | 44 lbs | ☉        |
|              | 4'      | 49.5"      | A☒☒348-48AR | 9          | 50 lbs | ☉        |
|              | 5'      | 58.75"     | A☒☒348-60AR | 11         | 58 lbs | ☉        |
|              | 6'      | 68"        | A☒☒348-72AR | 13         | 65 lbs | ☉        |
|              | 7'      | 86.75"     | A☒☒348-84AR | 17         | 79 lbs | ☉        |
| 5'<br>HEIGHT | 3.5'    | 40"        | A☒☒360-42AR | 7          | 51 lbs | ☉        |
|              | 4'      | 49.5"      | A☒☒360-48AR | 9          | 59 lbs | ☉        |
|              | 5'      | 58.75"     | A☒☒360-60AR | 11         | 68 lbs | ☉        |
|              | 6'      | 68"        | A☒☒360-72AR | 13         | 75 lbs | ☉        |
|              | 7'      | 86.75"     | A☒☒360-84AR | 17         | 92 lbs | ☉        |

☒ = FENCE STYLES AVAILABLE | **C** = Classic **M** = Majestic **G** = Genesis **W** = Warrior  
 ☒ = COLOR OPTIONS AVAILABLE | **B** = Black **N** = Bronze **W** = White  
 ☉ = NON-STOCKED PRODUCT  
 For details, see Ameristar's Sales Policy in the catalog guide.



Effective: 01/06/15



## ECHELON PLUS® | 4-RAIL SINGLE SWING ARCHED GATES

STANDARD BOTTOM | GATE HARDWARE NOT INCLUDED

| OPENING   | LEAF WIDTH | ITEM NUMBER | PICKET QTY | WEIGHT | STOCKING |   |
|---|------------|-------------|------------|--------|----------|---|
| <div style="display: flex; align-items: center;"> <div style="font-size: 2em; margin-right: 5px;">}</div> <div style="text-align: center;"> <div style="font-size: 2em; margin-bottom: 5px;">6'</div> <div style="font-size: 0.8em; margin-bottom: 5px;">HEIGHT</div> <div style="font-size: 2em; margin-top: 5px;">}</div> </div> </div> | 3½'        | 40"         | A☒ⓧ472-42A | 7      | 57 lbs   | ☉ |
|   | 4'         | 49.5"       | A☒ⓧ472-48A | 9      | 66 lbs   | ☉ |
|   | 5'         | 58.75"      | A☒ⓧ472-60A | 11     | 74 lbs   | ☉ |
|   | 6'         | 68"         | A☒ⓧ472-72A | 13     | 83 lbs   | ☉ |
|   | 7'         | 86.75"      | A☒ⓧ472-84A | 17     | 101 lbs  | ☉ |

☒ = FENCE STYLES AVAILABLE | **C** = Classic **M** = Majestic **G** = Genesis **W** = Warrior **R** = Conqueror


ⓧ = COLOR OPTIONS AVAILABLE | **B** = Black **N** = Bronze **W** = White

☉ = NON-STOCKED PRODUCT


*For details, see Ameristar's Sales Policy in the catalog guide.*




CLASSIC™




MAJESTIC™



GENESIS™



CONQUEROR™



WARRIOR™

## ECHELON PLUS® | 4-RAIL SINGLE SWING ARCHED GATES WITH RINGS

STANDARD BOTTOM | GATE HARDWARE NOT INCLUDED

| OPENING   | LEAF WIDTH | ITEM NUMBER | PICKET QTY  | WEIGHT | STOCKING |   |
|---|------------|-------------|-------------|--------|----------|---|
| <div style="display: flex; align-items: center;"> <div style="font-size: 2em; margin-right: 5px;">}</div> <div style="text-align: center;"> <div style="font-size: 2em; margin-bottom: 5px;">6'</div> <div style="font-size: 0.8em; margin-bottom: 5px;">HEIGHT</div> <div style="font-size: 2em; margin-top: 5px;">}</div> </div> </div> | 3½'        | 40"         | A☒ⓧ472-42AR | 7      | 59 lbs   | ☉ |
|   | 4'         | 49.5"       | A☒ⓧ472-48AR | 9      | 68 lbs   | ☉ |
|   | 5'         | 58.75"      | A☒ⓧ472-60AR | 11     | 77 lbs   | ☉ |
|   | 6'         | 68"         | A☒ⓧ472-72AR | 13     | 86 lbs   | ☉ |
|   | 7'         | 86.75"      | A☒ⓧ472-84AR | 17     | 105 lbs  | ☉ |

☒ = FENCE STYLES AVAILABLE | **C** = Classic **M** = Majestic **G** = Genesis **W** = Warrior


ⓧ = COLOR OPTIONS AVAILABLE | **B** = Black **N** = Bronze **W** = White

☉ = NON-STOCKED PRODUCT

*For details, see Ameristar's Sales Policy in the catalog guide.*



CLASSIC™



MAJESTIC™



GENESIS™




WARRIOR™

Effective: 01/06/15

## ECHELON PLUS® | 2-RAIL SINGLE SWING ARCHED POOL GATES

FLUSH BOTTOM | GATE HARDWARE NOT INCLUDED

| OPENING      | LEAF WIDTH | ITEM NUMBER  | PICKET QTY | WEIGHT | STOCKING |
|--------------|------------|--------------|------------|--------|----------|
| 4'<br>HEIGHT | 3½' POOL   | AM ⊗ 248-42A | 7          | 38 lbs | ⊙        |
|              | 4' POOL    | AM ⊗ 248-48A | 9          | 44 lbs | ⊙        |
|              | 5' POOL    | AM ⊗ 248-60A | 11         | 50 lbs | ⊙        |
|              | 6' POOL    | AM ⊗ 248-72A | 13         | 56 lbs | ⊙        |
|              | 7' POOL    | AM ⊗ 248-84A | 17         | 68 lbs | ⊙        |






⊗ = FENCE STYLES AVAILABLE | M = Monarch  
 ⊗ = COLOR OPTIONS AVAILABLE | B = Black N = Bronze W = White  
 ⊙ = NON-STOCKED PRODUCT  
 For details, see Ameristar's Sales Policy in the catalog guide.

## ECHELON PLUS® | 3-RAIL SINGLE SWING ARCHED POOL GATES

FLUSH BOTTOM | GATE HARDWARE NOT INCLUDED

| OPENING       | LEAF WIDTH | ITEM NUMBER    | PICKET QTY | WEIGHT | STOCKING |
|---------------|------------|----------------|------------|--------|----------|
| 4½'<br>HEIGHT | 3½' POOL   | A ⊗ ⊗ 354-42A  | 7          | 45 lbs | ⊙        |
|               | 4' POOL    | A ⊗ ⊗ 354-48A  | 9          | 53 lbs | ⊙        |
|               | 5' POOL    | A ⊗ ⊗ 354-60A  | 11         | 60 lbs | ⊙        |
|               | 6' POOL    | A ⊗ ⊗ 354-72A  | 13         | 67 lbs | ⊙        |
|               | 7' POOL    | A ⊗ ⊗ 354-84A  | 17         | 81 lbs | ⊙        |
| 3½' POOL      | 40"        | A ⊗ ⊗ 354-42AR | 7          | 45 lbs | ⊙        |
| 4' POOL       | 49½"       | A ⊗ ⊗ 354-48AR | 9          | 53 lbs | ⊙        |
| 5' POOL       | 58¾"       | A ⊗ ⊗ 354-60AR | 11         | 60 lbs | ⊙        |
| 6' POOL       | 68"        | A ⊗ ⊗ 354-72AR | 13         | 67 lbs | ⊙        |
| 7' POOL       | 86¾"       | A ⊗ ⊗ 354-84AR | 17         | 81 lbs | ⊙        |



⊗ = FENCE STYLES AVAILABLE | M = Majestic R = Conqueror  
 ⊗ = COLOR OPTIONS AVAILABLE | B = Black N = Bronze W = White  
 ⊙ = NON-STOCKED PRODUCT  
 For details, see Ameristar's Sales Policy in the catalog guide.

Effective: 01/06/15

*Effective: 01/06/15*

*TO PLACE YOUR ORDER CALL 888-333-3422 | VISIT [AMERISTARFENCE.COM](http://AMERISTARFENCE.COM)*

**AMERISTAR®**  
**ASSA ABLOY**

*ECHELON II® ECHELON PLUS® ECHELON®*

*ECHELON PLUS® | ORNAMENTAL ALUMINUM FENCE*

*Effective: 01/06/15*

**AMERISTAR**  
**ASSA ABLOY**

*TO PLACE YOUR ORDER CALL 888-333-3422 | VISIT AMERISTARFENCE.COM*